

DISCLAIMER. Warning: Trian contains a metalaxyl isomer.

Experience has shown that strains of fungus resistant to metalaxyl isomers have developed resulting in a reduction in the efficacy of the product and thus in yield losses. Since the occurrence of resistance cannot be foreseen, Adria accepts no responsibility for any loss of, or damage to, crops resulting from the failure of Trian to control resistant strains. Where products have previously been found to be ineffective in controlling diseases, or if the user suspects that a tolerant or resistant strain is present, then Trian should NOT be used. Advice as to alternative treatments should be sought in such cases. **IMPORTANT – RESISTANCE MANAGEMENT:** Trian is a GROUP 4 FUNGICIDE of the Phenylamide group of fungicides. Resistance to Trian and related Phenylamide fungicides could develop from excessive use. To minimise development of resistant strains, use strictly in accordance with label instructions. Refer to the NZPPS website for more detailed information (<http://resistance.nzpps.org/>).

GENERAL INFORMATION: Trian is systemic fungicide for the control of soil-borne Phytophthora Spear Rot of asparagus.

DIRECTIONS FOR USE:

It is an offence to use this product on animals.

RECOMMENDATIONS:

| Crop | Disease | Rate | Remarks |
|-----------|------------------------|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Asparagus | Phytophthora Spear Rot | 1 to 1.3 litres per sprayed hectare | Use the higher rate if disease was evident during the previous season. Apply in sufficient water to obtain good ground coverage. Apply as an annual broadcast application in early spring prior to spear emergence. During the cutting season, if disease pressure is severe, a repeat application can be made provided it is made the same day immediately after a hard cutting. Apply no more than 2 applications in any one season. Ensure that the soil is free of weeds and trash. Light rain or irrigation is necessary to move the fungicide into the soil within 48 hours of application. |

Mixing: When tank mixing with other products, add wettable powders, water dispersible granules and flowables first into the partly filled spray tank and agitate before the addition of the required amount of Trian and then add the remainder of the water while agitating.

Compatibility: Trian is compatible with the herbicides commonly used in asparagus and can be applied with conventional ground spraying equipment.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.

Withholding Period : Asparagus – 4 days

DANGER

KEEP OUT OF REACH OF CHILDREN

Trian[®]

A systemic FUNGICIDE for the control of Phytophthora Spear Rot in asparagus.

Active Ingredient: Contains 480g/litre metalaxyl-M in the form of a soluble liquid.

GROUP 4 FUNGICIDE

Registered pursuant to the ACVM Act 1997 No. P9355
See www.foodsafety.govt.nz for registration conditions.

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in an emergency only call:
0800 734 607 (24 hours).



Net Contents: 1 litre



READ THIS LABEL COMPLETELY BEFORE USE



HSNO Classifications: 3.1D, 6.1D (oral), 6.3A, 6.5B, 6.9B, 8.3A, 9.1C, 9.3B
Approved under the HSNO Act 1996, HSR101230. See www.epa.govt.nz for controls.

WARNING: Combustible liquid. Harmful if swallowed. Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.

HANDLING PRECAUTIONS – EQUIPMENT: Apply using accurately calibrated and maintained equipment in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409).

SAFETY DIRECTIONS: Keep away from flames and hot surfaces. In case of fire use fine-water spray or foam. During a fire this product may release smoke and hazardous decomposition products. When fighting a major fire wear an air-supplied respirator. When mixing or applying wear protective clothing, including face shield, waterproof gloves and footwear. Avoid contact with skin and eyes, and inhalation of spray mist. If clothing becomes contaminated with product, remove clothing immediately. Contaminated work clothing should not be allowed out of the workplace. DO NOT eat, drink or smoke while using. Wash hands and face before eating, drinking or smoking and after work. Wash protective clothing daily after work. DO NOT re-enter site until spray has dried.

STORAGE AND USE: Store locked up in the original, unopened container in a cool, dry, well-ventilated place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information. Trian must not be applied onto or into water. Trian must be applied using ground-based methods only.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



TOXIC TO TERRESTRIAL VERTEBRATES.

HARMFUL TO AQUATIC LIFE WITH LONG-LASTING EFFECTS. Avoid contamination of any water supply with chemical or empty container. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments.

FIRST AID: If medical advice is needed, have product container or label at hand. Get medical advice/attention if you feel unwell. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. In case of fire: Use dry chemical extinguisher, foam, carbon dioxide to extinguish.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to local Council regulations.

Notice to Buyer: Since storage and use of product are beyond our control, we do not accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Registered to and Distributed by: Adria New Zealand Limited.

P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.

Ph: 09 412 9817. Fax: 09 412 9807. www.adria.nz

Batch number and manufacturing date: See on packaging

