

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.

DIRECTIONS FOR USE:

CROP	DISEASE	REMARKS
Rate of use: 1.0 litre/ha in a minimum of 150 litres of water/ha by ground or 60 litres/ha by air		
Barley & Wheat	Eyespot	Apply to at risk crops from mid-tillering through to flag leaf visible.
Barley	Powdery mildew Leaf rust Net blotch (spot & net forms) Scald	Apply as a preventative spray on susceptible cultivars and where conditions favour disease. Continued disease pressure or reinfection may require a further treatment 3-5 weeks later. Apply up to the end of flowering (Zadok GS69).
Wheat	Powdery mildew Leaf rust Stripe rust Speckled leaf blotch	Apply as a preventative spray on susceptible cultivars and where conditions favour disease. Continued disease pressure or reinfection may require a further treatment 3-5 weeks later. Apply up to the end of flowering (Zadok GS69). Note: application may be required early in the season at mid-tillering to control Speckled leaf blotch.
	Glume blotch	Apply as a preventative spray around flag leaf emergence. For continued protection of the ear a further treatment may be applied up to the end of flowering (Zadok GS69).
	Ear disease complex	For protection of the ear, application should be made to fully emerged ears up to the end of flowering (GS69).
Ryegrass seed crops including turf species	Crown rust Stem rust	Apply as a preventative spray on susceptible cultivars and where conditions favour disease. Continued disease pressure or reinfection may require a further treatment 2-4 weeks later.

Mixing: Add the required amount directly into partly filled spray tank with agitation operating. Complete filling and maintain agitation until spraying is complete.

Compatibility: Accuro 125SC is compatible, where appropriate, with most commonly used fungicides, insecticides and herbicides. Consult your distributor regarding specific tank mixtures. Care must be taken to ensure recommendations for all products are followed. It is recommended to limit use of mixtures on small experimental areas on new cultivars to test plant compatibility before extensive use. Mixtures should be applied immediately after preparation.

Rainfall: Do not apply if rainfall is likely within 2 hours of application.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.

Withholding Periods:

Do not graze or feed treated wheat and barley grain crops within 42 days after application.

Do not harvest ryegrass crops for 21 days after the last application.

Do not graze or feed treated ryegrass seed crops for 35 days after the last application.

Resistance Management: Accuro 125SC is a **GROUP 3 FUNGICIDE** from the DeMethylation (DMI/Triazole) group of fungicides. Resistance to Accuro 125SC and related DMI fungicides could develop from repeated use. To minimise this risk, use strictly in accordance with label instructions. Apply no more than 3 DMI treatments per season including seed treatment.



UN 3082. Class: 9, Packaging group: III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Epoxiconazole). Do not carry this product on a passenger service vehicle.

WARNING
KEEP OUT OF REACH OF CHILDREN

Accuro® 125SC

Systemic cereal fungicide for the control of diseases in barley, wheat and ryegrass seed crops.

Active Ingredient: Contains 125g/litre epoxiconazole in the form of a suspension concentrate.

GROUP 3 FUNGICIDE

Registered pursuant to the ACVM Act 1997 No. P7504
See www.foodsafety.govt.nz for registration conditions.

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in an emergency only call:
0800 734 607 (24 hours).



Net Contents: 10 litres



READ THIS LABEL COMPLETELY BEFORE USE



HSNO Classifications: 6.8B, 6.9B, 9.1B
Approved under the HSNO Act 1996, HSR000723. See www.epa.govt.nz for controls.

WARNING: This material may be harmful if swallowed or inhaled. May cause reproductive damage from repeated oral exposure. May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child.

PRECAUTIONS: Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use (suspected teratogen that may cause birth defects in fertile women). **Females of childbearing age should not come into contact with the product. Use personal protection if required.** Keep away from food, drink and animal feedstuffs. No eating, drinking or smoking during use. Wash hands and face before breaks and after work. Use personal protection if required. Ensure thorough ventilation of stores and work areas. Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles. Safety goggles with side-shields. Wear suitable chemical resistant safety gloves (e.g. nitrile rubber (.4mm)). Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure. Avoid contact with skin or eyes and inhalation of spray mist. Wash hands and exposed skin after use and before meals. When mixing or applying wear waterproof gloves. Do not apply directly into or onto water.

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Toxic to aquatic life with long-lasting effects. Avoid contamination of any water supply with chemical or empty container. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments.

FIRST AID: If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766) or a doctor immediately. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. **Skin contact:** After contact with skin, wash immediately with soap and water. Get medical advice/attention if you feel unwell. If exposed or concerned: Get medical advice/attention.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to local Council regulations.

Notice to Buyer:

Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Registered to and Distributed by: Adria New Zealand Ltd.
P O Box 535, 407 State Highway 16, Kumeu, Auckland
Phone: 09 412 9817 Fax: 09 412 9807 www.adria.nz



Batch number and manufacturing date: See on packaging

PRODUCT INFORMATION

Accuro 125SC is a broad spectrum contact and systemic fungicide with protectant and eradicant activity. Accuro 125SC is taken up via the stem and foliage and is translocated upwards and outwards to provide protection to new growth. Thorough coverage of the crop is required for best results. Accuro 125SC has curative activity against early stages of infection but optimum results are obtained from application prior to the onset of infection.