

General Information:

Concord is a contact and systemic fungicide with curative activity against downy mildew and late blight when applied immediately after spore germination.

Resistance Management:

Concord is a **GROUP 27 FUNGICIDE** which belongs to the cyanoacetamide-oxime chemical group. Diseases resistant to this group of fungicides may develop if overused. To minimise the development of resistance, use strictly in accordance with label recommendations. Always apply in mixture with a mancozeb fungicide. Do not use more than 3 times in succession and do not apply more than 5 times per season.

Compatibility:

Concord is compatible with most fungicides and insecticides. Not compatible with Bordeaux mixture or lime sulphur or other alkaline products.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.

Withholding Periods:

Onions, Garlic and Potatoes: 14 days

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.

CROP	DISEASE	REMARKS
Onions Garlic	Downy Mildew	Apply 370-550ml/ha in tank-mixture with mancozeb at onion/garlic label rates. Use in a programme with suitable alternative fungicides. Begin spraying at the 2 true leaf stage and continue on a 7-10 day schedule, using Concord during periods of high disease pressure. Do not use more than 3 times in succession and do not apply more than 5 times per season.
Potatoes	Late Blight Early Blight	Use 330-380ml/ha in tank-mixture with mancozeb at potato label rates. Use during periods when disease pressure is high and use alternative fungicides at other times. Do not use more than 3 times in succession and do not apply more than 5 times per season. Use the higher rate under extreme infection conditions (warm with high humidity).



UN 3082. Class: 9, Packaging group: III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYMOXANIL). Do not carry this product on a passenger service vehicle.

WARNING
KEEP OUT OF REACH OF CHILDREN

Concord® 300SC

Fungicide for the control of Early and Late Blight in Potatoes
and Downy mildew in Onions and Garlic.

Active Ingredient: contains 300 g/litre cymoxanil
in the form of a suspension concentrate.

GROUP 27 FUNGICIDE

Registered pursuant to the ACVM Act 1997 No. P8134
See www.foodsafety.govt.nz for registration conditions.

In a transport emergency dial 111, Police or Fire Brigade.
**For specialist advice in an emergency only call:
0800 734 607 (24 hours).**



Net Contents: 5 litres

**READ THIS LABEL COMPLETELY BEFORE USE**

HSNO Classifications: 6.1E (Oral), 6.3B, 6.4A, 6.5B, 6.9B, 9.1B, 9.2D, 9.3C
Approved under the HSNO Act 1996, HSR100381. See www.epa.govt.nz for controls.

This material may be harmful if swallowed. Causes mild skin and serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through single, prolonged or repeated exposure.

PRECAUTIONS: Keep out of reach of children. Avoid contact with skin or eyes. Do not breathe fumes, vapours, or spray. When mixing or applying wear chemical resistant gloves (e.g. neoprene or nitrile), eye protection, chemical resistant boots and overalls. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Apply product via ground based methods only. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal. Any unused product should be used according to label directions.



TOXIC TO AQUATIC ORGANISMS WITH LONG-LASTING EFFECTS. Avoid contamination of any water supply with chemical or empty container. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments. Harmful to terrestrial vertebrates and the soil environment.

FIRST AID: If medical advice is needed, have product container or label at hand. Call a POISON CENTER or doctor/physician if you feel unwell. **IF ON SKIN:** Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. **IF exposed or you feel unwell:** Call a POISON CENTER or doctor/physician.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to local Council regulations.

Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Registered to and Distributed by:

Adria New Zealand Limited.
P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.
Ph: 09 412 9817. www.adria.nz



Batch number and manufacturing date: See on packaging