



For the control of certain diseases in ornamentals, mushrooms and stonefruit.

Active Ingredient: Contains 462g/kg prochloraz as the manganese complex in the form of a wettable powder.

Registered pursuant to the ACVM Act 1997 No. P7738 See www.foodsafety.govt.nz for registration conditions.

In a transport emergency dial 111, Police or Fire Brigade. For specialist advice in an emergency only call: 0800 734 607 (24 hours).



Net Contents: 1 Kg

READ THIS LABEL COMPLETELY BEFORE USE



HSNO Classifications: 6.1D (Oral), 6.3A, 6.9B, 8.3A, 9.1A, 9.3C Approved under the HSNO Act, 1996, HSR007983. See www.epa.govt.nz for controls. Qualified Person/Contractor: Required.

DANGER: Causes skin irritation. May cause damage to organs through prolonged or repeated exposure. Causes serious eye damage. Very toxic to aquatic life. Harmful to terrestrial vertebrates.

SAFETY DIRECTIONS: Keep out of reach of children. Read label before use. Do not breathe dust. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Do not apply directly into or onto water. Wear protective clothing. Collect Spillage. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Burn, if circumstances, especially wind direction permit, otherwise bury in landfill.



FIRST AID: If medical advice is needed, have product container or label at hand. IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before re-use. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to local Council regulations.

Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Registered to and Distributed by:

Adria New Zealand Limited. P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.

Ph: 09 412 9817. www.adria.nz



Batch number and manufacturing date: See on packaging

GENERAL INFORMATION

Curator is a DMI fungicide which may be applied as a spray treatment to ornamentals and stonefruit, as a dip treatment to ornamentals, and a drench treatment in mushrooms.

Resistance Management: Curator is a **GROUP 3 FUNGICIDE** with the Demethylation Inhibitor (DMI) mode of action. Resistance to this and other DMI products could develop from repeated use. To minimise this risk use strictly in accordance with label instructions and alternate with fungicides from alternate chemical groups.

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.

DIRECTIONS FOR USE: The method of application shall be limited to ground based application only.

Mixing: Thoroughly pre-mix the required amount with a little water to form a slurry. Add water whilst agitating. For spray treatments maintain agitation while mixing and applying. Also agitate thoroughly after a stoppage, before recommencing spraying. Use immediately after mixing.

COMPATIBILITY: Curator is compatible with most commonly used insecticides and fungicides. DO NOT use with alkaline materials such as lime sulphur or Bordeaux mixture.

Recommendations: Rates suggested are for high volume spraying to run-off. For concentrate spraying, adjust dilution rate accordingly.

CROP	DISEASE	RATE	REMARKS
Mushrooms	Brown spot (<i>Verticillium spp.</i>)	3g/square metre in 1 litre of water as a drench treatment.	Apply 7-9 days after casing. Do not apply within 10 days of picking. Apply a maximum of 3 applications per season.
Ornamentals	Colletotrichum spp., Glomerella leaf spot, Monochaetia spp., Pestalotia spp., Powdery mildew	100g/100 litres in sufficient water to obtain thorough spray coverage. 100g/100 litres as a dip.	
Stonefruit	Brown rot	25g/100 litres	Appy at pink and repeat at 7-10 day intervals until petal fall. Shorter intervals may be required in wet weather. Use in mixture with non-DMI fungicides and apply no more than three treatments per season. Apply a maximum of 3 applications per season.

IT IS AN OFFENCE for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIODS:

Mushrooms: 10 days Stonefruit: Do not use after petal fall



UN3077. CLASS 9, PG III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PROCHLORAZ). Do not carry this product on a passenger service vehicle.