

GENERAL INFORMATION: PROVIDOR is a contact fungicide for the control of Botrytis in grapes, boysenberries and strawberries.

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.

DIRECTIONS FOR USE: According to law, the listed restrictions on the use of this product must be observed, and the product must only be used according to the label instructions. The recommended rates are for high volume spraying to the point of run-off. For concentrate spraying adjust dilution rate accordingly.

CROP	DISEASE	RATE	CRITICAL COMMENTS
Grapes	Botrytis	75ml per 100 litres or a minimum of 750ml/ha.	Make two applications at pre-brunch closure and veraison or at veraison and again 14 days later. Apply in sufficient water to achieve good coverage of the bunches.
Boysenberries, Strawberries	Botrytis	150ml per 100 litres or a minimum of 1.5L/ha.	Make two applications over the flowering period ensuring good coverage of the flowers.

MIXING: Add the required amount of PROVIDOR to the partly filled spray tank, then add the remainder of the water while thoroughly agitating. Continue agitation while spraying.

IT IS AN OFFENCE for users of this product to cause residues exceeding the relevant MRL in the FOOD NOTICE: Maximum Residue LEVELS FOR Agricultural Compounds.

Withholding Periods:

Grapes – 21 days
Boysenberries – 35 days
Strawberries – 1 day

Note: Export crops – contact your exporter, industry body or industry crop adviser.

Application: May be applied through all conventional, ground-based boom spraying equipment. Maintain agitation during mixing and spray application.

Compatibility: PROVIDOR is compatible with most commonly used fungicides and insecticides. Care should be taken with mixtures with more than one chemical. All mixtures should be tested prior to use.



UN3082. CLASS 9, PG III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FENHEXAMID).
Do not carry this product on a passenger service vehicle.

WARNING
KEEP OUT OF REACH OF CHILDREN

Provider®

A fungicide for the control of Botrytis in grapes, boysenberries and strawberries.

Active Ingredient: Contains 500g/litre fenhexamid in the form of a suspension concentrate.

GROUP 17 FUNGICIDE

Registered pursuant to the ACVM Act 1997 No. P8701
See www.foodsafety.govt.nz for registration conditions

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in an emergency only call:
0800 734 607 (24 hours).



Net Contents: 5 litres



READ LABEL BEFORE USE



HSNO Classifications: 6.3B, 6.9B, 9.1B.
Approved under the HSNO Act 1996, HSR100805. See www.epa.govt.nz for controls.

WARNING: Causes mild skin irritation. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

SAFETY DIRECTIONS: Read label before use. Do not breathe mist or spray. Avoid release to the environment. Collect Spillage. Wash hands and exposed skin before meals and after work. Wash protective clothing daily after work. DO NOT re-enter site until spray has dried. Apply this product carefully. Ensure compliance with relevant regional air management plans. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

MUST NOT BE APPLIED ONTO OR INTO WATER. MUST BE APPLIED VIA GROUND-BASED METHODS ONLY. MUST BE APPLIED AT A MAXIMUM APPLICATION RATE OF 1.5L/HA.

A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments.

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

DISPOSAL OF CONTAINER: Triple rinse container and add residue to spray tank. Return clean, empty container to an AgRecovery site for disposal.
PRODUCT DISPOSAL: Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.



FIRST AID: Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/ attention.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

Batch number and manufacturing date: See on packaging.

Registered to and Distributed by: Adria New Zealand Ltd.
PO Box 535, 407 State Highway 16, Kumeu, Auckland. Ph: 09 412 9817. www.adria.nz



Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

RESISTANCE MANAGEMENT: PROVIDOR is a **GROUP 17 FUNGICIDE** and is a member of the hydroxylanilide class of fungicides. Resistance to this fungicide could develop from excessive use. To minimise this risk use strictly in accordance with the label instructions and resistance management strategies that exist for any disease listed on the label. PROVIDOR should be used in a programme that incorporates fungicides with different modes of action to that of **GROUP 17 FUNGICIDES**. Refer to the NZCPR website (www.nzpps.org/resistance/index.php) for more detailed information.