

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.

DIRECTIONS FOR USE:

For the control of Diamondback moth and White butterfly in vegetable brassicas:

Use 120ml RECOIL in approximately 500 litres water per hectare. Spray to achieve an even coverage to the point of run-off. Treatments should commence in response to scouting thresholds and be repeated at 7-10 day intervals depending on insect pressure and weather conditions. Do not apply more than 4 times in any one cropping season. Alternative insecticides with a different mode of action should be used at other times to prevent pest resistance development. Follow the published suggested Resistance Management Strategy. RECOIL is compatible with a wide range of fungicides, insecticides, surfactants and foliar fertilizers used in vegetable brassicas. If unsure, seek advice before use.

For the control of Kelly's citrus thrip in citrus: Use 10ml RECOIL per 100 litres of water and apply in a high volume spray to the point of run-off. Apply at the end of flowering and repeat at 14 day intervals during the 6-8 week period following flowering. Do not make any more than 4 applications in any one season. Do not apply to trees in flower if they are likely to be visited by bees.

For the control of thrips in onions: Use 150 to 200 ml in approximately 500 litres water per hectare. Use a suitable surfactant. Spray to achieve even coverage to the point of run off. Treatments should commence in response to scouting thresholds and be repeated at 7-10 day intervals, depending on thrip numbers and weather conditions, as a cluster of 3 or 4 sequential sprays. **Resistance Management:** Do NOT apply more than four times in any one cropping season. Alternative insecticides with a different mode of action should be used at other times to prevent pest resistance development. Follow the published Resistance Management Strategy.

For the control of mushroom flies (sciarids, cecids and phorids) in mushrooms:

Use 16ml per 300 litre bale of peat moss. Incorporate thoroughly during the preparation of casing. **Mixing:** Add the required volume of Recoil to the water to be used in the preparation of casing and mix well. Apply mixture to peat moss and ensure thorough mixing.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.

Withholding periods: Vegetable brassicas – 7 days; Citrus – 42 days. Ensure the withholding period is strictly adhered to, especially in multi-flowering crops such as lemons. Onions - 3 days; Mushrooms - 14 days.

Mixing: Shake the container well before use. Add the required quantity of RECOIL to a half-filled spray tank of clean water. Top up with clean water and mix thoroughly before use. The addition of a non-ionic wetter at manufacturer's rates is recommended in vegetable brassicas.

Resistance Management: Recoil is a **GROUP 2 INSECTICIDE** from the phenylpyrazole chemical group. Resistance to this insecticide and related insecticides could develop from excessive use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies that exist for any insect pests listed on this label. Avoid using this insecticide exclusively all season, and avoid unnecessary spraying. Refer to the NZCPR website (www.nzpcps.org/resistance/index.php) for more detailed information.



UN3082. CLASS 9, PG III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FIPRONIL).
Do not carry this product on a passenger service vehicle.

DANGER
KEEP OUT OF REACH OF CHILDREN

Recoil®

Insecticide for the control of Diamondback moth and White butterfly in vegetable brassicas and for the control of Kelly's citrus thrip in citrus, thrips in onions and mushroom flies (sciarids, cecids and phorids) in mushrooms.

Active Ingredient: Contains 200g/litre fipronil in the form of a suspension concentrate.

GROUP 2 INSECTICIDE

Registered pursuant to the ACVM Act 1997 No. P7763
See www.foodsafety.govt.nz for registration conditions

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in an emergency only call:
0800 734 607 (24 hours).



Net Contents: 1 litre



READ THIS LABEL COMPLETELY BEFORE USE



HSNO Classifications: 6.1D (Oral, Dermal, Inhalation), 6.4A, 6.9A, 9.1A, 9.3B, 9.4A
Approved under the HSNO Act 1996, HSR000831.
See www.epa.govt.nz for controls.
Qualified Person/Contractor: Required.

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled. Causes serious eye irritation. Causes damage to organs through single, prolonged or repeated exposure.

PRECAUTIONS: Keep out of reach of children. Do not eat, drink or smoke while using. Do not breathe fumes, vapours or spray. Use only outdoors or in a well-ventilated area. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Avoid contact with skin or eyes and inhalation of spray mist. Wash hands and exposed skin after use and before meals. When mixing or applying wear waterproof gloves. Do not apply directly into or onto water.

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



ENVIRONMENTAL INFORMATION: Toxic to terrestrial vertebrates. Very toxic to terrestrial invertebrates.

VERY TOXIC TO AQUATIC LIFE WITH LONG-LASTING EFFECTS: Avoid contamination of any water supply with chemical or empty container. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments.

FIRST AID: If medical advice is needed, have product container or label at hand. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed: Call a POISON CENTER or doctor/physician.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to local Council regulations.

Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us

Registered to and Distributed by: Adria New Zealand Ltd.
P O Box 535, 407 State Highway 16, Kumeu, Auckland
Phone: 09 412 9817 Fax: 09 412 9807 www.adria.nz



Batch number and manufacturing date: See on packaging.