

GENERAL INFORMATION: Rivera is a fungicide with preventative properties for the control of foliar diseases in fodder beet.

DISEASES CONTROLLED:

Powdery mildew
Rust
Cercospora leaf spot
Ramularia leaf spot
Through controlling foliar diseases, green leaf area will be prolonged during the period up to harvest.

RESISTANCE MANAGEMENT: Rivera is a **GROUPS 3 & 11 FUNGICIDE**. Resistance to this fungicide and related products could develop in some disease situations from repeated use. To minimise this risk, use strictly in accordance with the label instructions, and apply no more than two applications per season. Follow individual crop resistance management strategies or refer to the NZPPS website at www.resistance.nzpps.org for alternate modes of action.

Compatibility: Rivera is compatible with most commonly used insecticides and fungicides.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.

WITHOLDING PERIODS: Fodder beet – 42 days.

Application: May be applied through all conventional ground boom spraying equipment. Maintain agitation during mixing and spray application.

It is an offence to use this product on animals.

DIRECTIONS FOR USE:

Mixing: Shake container well before use. Half fill the spray tank with water and then add the required amount of Rivera with agitators going, then fill the remainder of the tank with water. Do not pre-mix. The rates suggested are for high volume spraying of a dilute spray without excessive run-off. For concentrate spraying adjust dilution rate accordingly. Do not add wetting agents to Rivera. Do not exceed the recommended use rate.

CROP	DISEASE	RATE	REMARKS
Fodder beet	Powdery mildew Rust Cercospora leaf spot Ramularia leaf spot	350ml/ha in at least 200 litres of water per hectare.	Apply at the first sign of disease appearing. Rivera will give most effective disease control when applied as the disease first becomes active in the crop and before disease becomes established. Rivera will give ongoing protection against disease, but a second spray may be required 3-4 weeks after the first spray if disease pressure is ongoing. Do not make more than 2 applications in a season.

WARNING
KEEP OUT OF REACH OF CHILDREN

Rivera®

For the control of foliar diseases in fodder beet.

Active Ingredient: Contains 375g/litre trifloxystrobin and 160g/litre cyproconazole in the form of a suspension concentrate.

Registered pursuant to the ACVM Act 1997 No. P9390
See www.foodsafety.govt.nz for registration conditions

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in a First Aid emergency only call:
0800 734 607 (24 hours).



Net Contents: 5 litres



READ LABEL BEFORE USE



HSNO Classifications: 6.1D (Oral), 6.5B, 6.8B, 6.9B, 9.1A, 9.3C
Approved under the HSNO Act 1996, HSR101053. See www.epa.govt.nz for controls.
Qualified Person/Contractor: Required.

This substance is harmful if swallowed. Suspected of damaging fertility or the unborn child. May cause internal organ damage from single, prolonged or repeated exposure. Suspected Teratogen: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. May cause an allergic skin reaction.

PRECAUTIONS: When mixing or applying wear protective clothing including, overalls, waterproof gloves and footwear. Do not breathe fumes, mist or spray. Avoid contact with skin and eyes. DO NOT eat, drink or smoke while using. Wash hands and face before eating, drinking or smoking and after work. Wash protective clothing after use. Do not allow contaminated clothing out of the workplace.

APPLICATION CONTROLS:

- 1) This product must not be applied at rates exceeding 400ml of formulated product/ha per application (equivalent to 150g trifloxystrobin/ha and 64g cyproconazole/ha).
- 2) This product must not be applied to the same area more than 2 times in any 365 day period.
- 3) An interval of at least 21 full days must be observed before the product is reapplied to the same area.

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

ENVIRONMENTAL INFORMATION: VERY TOXIC TO AQUATIC ORGANISMS WITH LONG-LASTING EFFECTS.

A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments. Must not be applied onto or into water. Harmful to terrestrial vertebrates.

DISPOSAL OF CONTAINER: Triple rinse container and add residue to spray tank. Return clean, empty container to an AgRecovery site for disposal. Avoid contamination of any water supply with chemical or empty container.



FIRST AID: If medical advice is needed, have product container or label at hand. Get medical advice/attention if you feel unwell. **IF SWALLOWED:** Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. **IF ON SKIN:** Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. **IF EXPOSED OR CONCERNED:** Get medical advice/attention. Wash contaminated clothing before reuse. **SPILLS:** Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

Batch No. and Manufacturing Date: See on packaging

Registered to and Distributed by:
Adria New Zealand Limited.
P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.
Ph: 09 412 9817. Fax: 09 412 9807. www.adria.nz



Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.



UN 3082; CLASS 9, PGIII, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trifloxystrobin, Cyproconazole).
Do not carry this product on a passenger service vehicle.