

WARNING
KEEP OUT OF REACH OF CHILDREN



BEETUP[®] COMPACT

HERBICIDE

CONTAINS:
80g/L PHENMEDIPHAM plus
80g/L DESMEDIPHAM in the form
of an emulsifiable concentrate

GROUP G1 HERBICIDE

Controls weeds in fodder, sugar and red beets.

**IN A TRANSPORT EMERGENCY
DIAL 111 POLICE OR FIRE BRIGADE**

For specialist advice in an emergency only,
call 0800 734 607 (24 hours).

Registered pursuant to the ACVM Act 1997 No.P5493.
See www.foodsafety.govt.nz for registration conditions

**NET CONTENTS:
10 LITRES**

READ LABEL BEFORE USE



HSNO Classifications: 3.1D, 6.1D, 6.3B, 6.4A, 6.5B, 6.9B, 9.1A, 9.2A, 9.3C
 Approved under the HSNO Act 1996, HSR100825. See www.epa.govt.nz for controls.
 Qualified Person/Contractor : Required

WARNING: Combustible liquid. Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled. Causes mild skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects. Very toxic to the soil environment. Harmful to terrestrial vertebrates.

SAFETY DIRECTIONS: Keep out of reach of children. Read label before use. Keep away from heat, sparks, open flames or hot surfaces. No smoking. Do not breathe fumes, vapours or spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective clothing. Collect Spillage. In case of fire: Use water spray for extinction.

STORAGE: Store locked up in the original, unopened container in a cool, dry, well-ventilated place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agricultural Chemicals (NZS8409) is followed. See Safety Data Sheet for further information.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill),(delete)

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



RECOMMENDATIONS FOR USE:

CROP	TIMING	RATE	REMARKS
Sugar Beet and Red Beet	After the crop has 2 true leaves fully developed. Weeds up to 4 true leaf. Weeds from 4-6 true leaves and hard to kill weeds up to 4 true leaves.	6 litres/ha in 200 litres of water. 9 litres/ha in 200 litres of water.	Damage may occur especially on Red Beet if treated prior to 2 true leaf stage. Best results are obtained when weeds are treated at the youngest possible stage. A repeat application may be made to late germinating weeds at least 7 days after the first treatment.
Fodder Beet	Apply after the crop has 2 true leaves fully developed.	3 litres/ha in 200-300 litres of water.	Best results are obtained by applying Beetup Compact following a pre-emergence application of Ethofumesate in mixture with Mitron 70WG. Make the first application of Beetup Compact in mixture with Ethofumesate (50% w/v) at 2 litres/ha plus Mitron 70WG at 1.5kg/ha when weeds are from cotyledon to 2 true leaf stage and a second application 10-14 days later.

NOTE: DO NOT MIX BEETUP COMPACT WITH ANY FOLIAR NUTRIENTS OR SURFACTANTS.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.

Withholding Period: Fodder beet – 56 days. Do not graze stock on treated areas for 56 days after spraying.

Additional Information: Do not apply if air temperature is likely to rise above 29°C, and avoid treatment if rain is likely before spray has dried on the foliage. Herbicide activity will be slowed down in cool weather.

FIRST AID: If medical advice is needed, have product container or label at hand. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Batch number and manufacturing date: See on packaging

Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

General Information: Beetup Compact herbicide acts through the foliage of seedling broadleaved weeds to give selective weed control in sugar and red beet crops. This product should be used strictly in accordance with label recommendations.

Susceptible Weeds include: Seedling stages of chickweed, fathen, fumitory, groundsel, redroot, shepherd's purse, spurrey, nettle and twin cross.

Black nightshade, combind and willow weed are controlled only if treated up to the four true leaf stage.

Resistance Management: Beetup Compact is a GROUP C1 HERBICIDE from the Phenyl Carbamate herbicide group. Resistance to this herbicide and related products could develop in some situations from repeated use. To minimise this risk, use strictly in accordance with the label instructions. For detailed resistance management strategies refer to: <http://resistance.nzpps.org>

Resistant Weeds include: Grass weeds, mature annual broadleaf weeds, perennial broadleaf weeds and wireweed.

Directions for Use: Beetup Compact does not require the addition of surfactants. Ensure spray equipment is thoroughly cleaned before use. Do not apply in more than 280 litres of water per hectare.

Mixing: Partly fill the spray tank and add the required amount of Beetup Compact herbicide with agitation system operating. Add the remaining water and any mixing partners. Maintain agitation until spraying is complete. Do not allow spray mixture to stand overnight. Flush equipment with clean water after use. Beetup Compact herbicide may be broadcast or band treated. For band treatment ensure that the use rate per sprayed area is consistent with label recommendations.



Registered to:
UPL (NZ) Ltd
 Level 6, WHK Tower, 51-53 Shortland Street,
 Auckland 1010, New Zealand.



Distributed by:
Adria New Zealand Limited
 P.O. Box 534, 407 State Highway 16 Kumeu, Auckland.
 Ph: 09 412 9817 Fax: 09 412 9807 www.adria.nz



UN 3082. Class: 9, PGIII. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(80g/l Desmedipham + 80g/l Phenmedipham Solution). Do not carry this product on a passenger service vehicle.