

**IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.**

**RECOMMENDATIONS:**

CROP	DISEASE	RATE	REMARKS
Brassica seedbeds	Downy mildew	Use 6.5mL VENTURA /100m <sup>2</sup> of seedbed + 17g/100m <sup>2</sup> of mancozeb (75% a.i.)  using adequate water to obtain complete coverage.	Make the first application as soon as most seedlings have emerged and repeat every 10 days until transplanting. <b>IMPORTANT: NO MORE THAN 3 APPLICATIONS OF VENTURA (OR ANY OTHER PHENYLAMIDE-CONTAINING FUNGICIDE) SHOULD BE APPLIED TO A CROP. VENTURA ALSO MUST BE USED IN COMBINATION WITH MANCOZEB.</b>
Onions	Downy mildew	640mL/ha VENTURA + 1.7kg/ha mancozeb (75% a.i.)  in 500-700 litres of water/ha.	Make a maximum of 3 applications at 10 day intervals during the period of active growth when conditions of high humidity favour the disease. <b>IMPORTANT: NO MORE THAN 3 APPLICATIONS OF VENTURA (OR ANY OTHER PHENYLAMIDE-CONTAINING FUNGICIDE) SHOULD BE APPLIED TO A CROP. VENTURA SHOULD NOT BE USED ON ONION CROPS WHICH FOLLOW A ONION CROP THAT HAS BEEN GROWN IN THE SAME FIELD IN THAT SEASON. VENTURA ALSO MUST BE USED IN COMBINATION WITH MANCOZEB.</b>
Potatoes, outdoor tomatoes	Late blight	800mL/ha VENTURA + 2.1kg/ha mancozeb (75% a.i.)  in 500-750 litres of water/ha	Apply when the crop has fully emerged but before any sign of disease and repeat at 10-14 day intervals. Use the closer interval when conditions favour the disease, especially during favourable growth conditions in the period prior to flowering. Make a maximum of 3 applications per crop. Apply when foliage is dry and no rain expected for at least 2 hours. Do not apply following the completion of flowering as translocation is considerably reduced as haulms dry off. <b>IMPORTANT: NO MORE THAN 3 APPLICATIONS OF VENTURA (OR ANY OTHER PHENYLAMIDE-CONTAINING FUNGICIDE) SHOULD BE APPLIED TO A CROP. VENTURA SHOULD NOT BE USED ON POTATO CROPS WHICH FOLLOW A POTATO CROP THAT HAS BEEN GROWN IN THE SAME FIELD IN THAT SEASON. VENTURA ALSO MUST BE USED IN COMBINATION WITH MANCOZEB.</b>

**Compatibility:** VENTURA is compatible with most commonly used insecticides and fungicides. Do not mix with strongly alkaline materials such as lime sulphur.

**Surfactant:** The addition of a suitable surfactant at labelled rates is recommended with all foliar applications of VENTURA.

**IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.**

**Withholding Periods:** Onions, potatoes, outdoor tomatoes – 14 days

**DANGER**  
KEEP OUT OF REACH OF CHILDREN

**Ventura**<sup>®</sup>

A systemic FUNGICIDE for late blight control in potatoes and outdoor tomatoes and downy mildew in onions and brassica seedbeds.

Active Ingredient: Contains 250g/litre metalaxyl in the form of an emulsifiable concentrate.

GROUP 4 FUNGICIDE

Registered pursuant to the ACVM Act 1997 No. P7841  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.

In a transport emergency dial 111, Police or Fire Brigade.  
**For specialist advice in an emergency only call:  
0800 734 607 (24 hours).**



**Net Contents: 5 litres**



**READ THIS LABEL COMPLETELY BEFORE USE**



Approved under the HSNO Act 1996, HSR008040. See [www.epa.govt.nz](http://www.epa.govt.nz) for controls.  
HSNO Classifications: 3.1D, 6.1D (Oral), 6.1E (Dermal) 6.3A, 6.4A, 6.5B, 6.8A, 6.9A, 9.1C, 9.3C

**DANGER:** Combustible liquid. Harmful if swallowed. May be harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility or the unborn child. Causes damage to organs through single, prolonged or repeated exposure. Harmful to aquatic life with long lasting effects. Harmful to terrestrial vertebrates.

**SAFETY DIRECTIONS:** Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames or hot surfaces. No smoking. Do not breathe fumes, vapours or spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Use personal protective equipment as required. Collect Spillage. In case of fire: Use dry chemical extinguisher, foam, carbon dioxide or water spray for extinction. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

**STORAGE:** Store locked up in the original, unopened container in a cool, dry, well-ventilated place, out of direct sunlight and away from stockfeed or foodstuffs.

As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

**CONTAINER DISPOSAL:** Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



**FIRST AID:** If medical advice is needed, have product container or label at hand. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before re-use. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.

**SPILLS:** Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to local Council regulations.

**Notice to Buyer:** Since storage and use of product are beyond our control, we do not accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

**Registered to and Distributed by:** Adria New Zealand Limited.  
P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.  
Ph: 09 412 9817.  
[www.adria.nz](http://www.adria.nz)



**Batch number and manufacturing date:** See on packaging.

**GENERAL INFORMATION:** VENTURA is systemic in the plant and taken up by green tissue and distributed within the leaves and stems, providing disease control by inhibiting fungal growth within the plant.

**IMPORTANT – RESISTANCE MANAGEMENT:** VENTURA must be used in combination with mancozeb. Ventura is a GROUP 4 FUNGICIDE of the Phenylamide group of fungicides. Resistance to VENTURA and related Phenylamide fungicides could develop from excessive use. To minimise development of resistant strains, use strictly in accordance with label instructions. Apply a maximum of 3 applications in any one season. Follow individual crop resistance management strategies. Refer to the NZPPS website for more detailed information (<http://resistance.nzpps.org/>).

**DIRECTIONS FOR USE:** Use sufficient water to obtain coverage without run-off to achieve complete coverage. Rates suggested are for high volume spraying. For concentrate spraying adjust the dilution rate accordingly.

**CROP SAFETY:** Although it is believed that phytotoxicity is not likely to occur at the rates of application and water volumes indicated, some newer varieties of crops may exhibit sensitivity. A test for crop selectivity should therefore be made before treatment of the whole crop.