

**MIXING AND COMPATIBILITY:** Pour the measured quantity of Valeo 500SC into the partly filled spray tank, then top up with water. Agitate thoroughly during filling and spraying.  
Valeo 500SC is compatible with most commonly used insecticides and fungicides. Do not mix with Bordeaux mixture, lime sulphur or oils.

**It is an offence to use this product on animals.**

**DIRECTIONS FOR USE:** Ensure thorough spray coverage of the crop before the onset of infection. Valeo 500SC is only active as a preventative treatment against very early stages of infection. When used in Wheat and Barley, always tank mix Valeo 500SC with an alternative mode of action fungicide such as Bolide®.

CROP	DISEASE	RATE	CRITICAL COMMENTS
Barley	Scald	1.5L/ha	Valeo 500SC must be tankmixed with the full label rate of an alternative mode of action fungicide registered either for use in barley to control Scald or for the control of Speckled leaf blotch in wheat.  Apply up to 2 applications per crop, as a part of a seasonal fungicide programme. Apply as a preventative spray on susceptible varieties and where disease pressure is imminent. Ensure application is made before disease becomes established in the crop. A second spray, if necessary, can be applied after a minimum spray interval of 3-4 weeks.  Do not apply Valeo 500SC after flag leaf emergence (GS 39).
Wheat	Speckled leaf blotch	- tankmixed with an alternative mode of action fungicide such as Bolide®, in a minimum of 150 litres of water/ha.	
Apples	Black spot, glomerella	150-200ml per 100 litres	Apply at 10-14 day intervals, commencing between mid-December and early January.
Bushfruit (blueberries, currants and gooseberries) and canefruit (blackberries, loganberries, raspberries and youngberries)	Botrytis, leaf spots	150-200ml per 100 litres of water over flowering	Repeat at 7-14 day intervals from flowering until harvest. Use the higher rate when conditions favour infection.
Citrus	Verrucosis, melanose	250ml per 100 litres	Apply prior to blossoming and repeat when flowering has finished.
Grapes	Anthraxnose, Downy mildew	200ml per 100 litres of water	Use at regular intervals from budburst.
	Dead arm	200ml per 100 litres of water	Apply after budburst when shoots are 3cm long. Note: Application closer than 3 weeks before harvest may delay fermentation in wine making.
Roses	Black spot, powdery mildew	200ml per 100 litres of water	Apply at regular intervals from budburst.

**IT IS AN OFFENCE for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.**

**WITHHOLDING PERIODS:**

**Barley, Wheat:**

- **Harvest:** Not required when used as directed.
- **Grazing/Stockfood:** DO NOT use on barley and wheat crops intended for green feed including silage. Harvested grain, straw and stubble may be fed to livestock.

**Apples, Bushfruit, Citrus, Grapes:** 3 days.

**RESISTANCE MANAGEMENT:** Valeo 500SC is a cyclic imide Group M4 fungicide. Resistance to Valeo 500SC and related fungicides could develop from repeated use. To minimise this risk, use strictly in accordance with label instructions and resistance management strategies that exist for any disease listed on the label. Refer to the NZPPS website <https://resistance.nzpps.org/> for more detailed information.



**UN3082. CLASS 9, PG III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FOLPET).** Do not carry this product on a passenger service vehicle.

**WARNING**

KEEP OUT OF REACH OF CHILDREN  
TOXIC - ECOTOXIC

**Valeo® 500SC**

**A Fungicide for controlling certain diseases in barley, wheat, certain fruit crops and roses.**

Active Ingredient: contains 500 g/litre folpet in the form of a suspension concentrate.

**GROUP M4 FUNGICIDE**

Registered pursuant to the ACVM Act 1997 No. P8158  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

In a transport emergency dial 111, Police or Fire Brigade.

**For specialist advice in an emergency only call: 0800 734 607 (24 hours).**



**Net Contents: 20 litres**



**READ THIS LABEL COMPLETELY BEFORE USE**



Approved under the HSNO Act 1996, HSR100395  
HSNO Classifications: 6.3B, 6.4A, 6.5B, 6.7B, 6.9B, 9.1A, 9.2D, 9.3C  
Qualified Person/Contractor: Required.

**WARNING:** Causes mild skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Harmful to the soil environment. Harmful to terrestrial vertebrates.

**SAFETY DIRECTIONS:** Keep out of reach of children. Read label before use. Do not handle until all safety precautions have been read and understood. Do not breathe fumes, vapours or spray. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Use personal protective equipment as required. Collect Spillage. Must not be applied directly into or onto water. Application must be done by ground based application methods only. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

**STORAGE:** Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

**PERSONAL PROTECTION.** Avoid skin and eye contact and inhalation of spray mist. When mixing or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, impervious, elbow length gloves, and eye protection. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

**EQUIPMENT.** Apply using well maintained and accurately calibrated equipment, in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409).

**SPILLAGE:** Keep all bystanders away from the vicinity of the spill. Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to local Council regulations.

**DISPOSAL.** Triple rinse empty container and add rinsate to the spray tank. Return empty container to an AgRecovery depot for disposal.



**FIRST AID:** If medical advice is needed, have product container or label at hand. Get medical advice/attention if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/ attention.

**Notice to Buyer:** Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

**Registered to and Distributed by:** Adria New Zealand Limited.  
P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.  
Ph: 09 412 9817. Fax: 09 412 9807. [www.adria.nz](http://www.adria.nz)

**Batch number and manufacturing date:** See on packaging.

