

**GENERAL INFORMATION:** Fabula controls a range of weeds in pumpkin, potatoes and buttercup squash. The active ingredient is taken up through emerging roots of weeds and potentially through weed contact activity. At least 7mm of moisture is required within 10 days of application to activate the herbicide.

**WARNING ON SOIL PERSISTENCE AND CROP SELECTIVITY:** Fabula has a long residual presence in soil, with long lasting weed control. Use the higher specified use rate on heavy soil and the lower specified rate on medium soil. Fabula **SHOULD NOT** be applied to light sandy soils. **BEWARE:** Apply this product carefully. Spray drift may cause serious damage to other desirable plants.

**USE RATES FOR DIFFERENT SOIL TYPES**

Soil:	Light / Sandy Loam	Medium / Loam	Heavy / Clay / Organic Matter
Application rates:	DO NOT USE	300-350 ml/ha	350-470

The lowest rate should be used if cold and wet conditions are present during and after application due to potential crop damage.

**RE-CROPPING INTERVALS:** The residual activity of Fabula in soil can extend out for 2 years, potentially affecting the growth of subsequent crops planted. No subsequent crops should be planted into soil that has been treated with Fabula for at least 2 years unless advice has been given by Adria Crop Protection or a successful soil germination test has been conducted.

**WEEDS CONTROLLED:** Amaranthus, Buttercup, Black Nightshade, Fathen, Narrow-Leaved Plantain, Purple Nutsedge\*, Seedling Dock, Wireweed, Willow Weed.

**WEEDS PARTIALLY CONTROLLED:** Barnyard grass, Crabgrass, Crowsfoot grass, Sea Radish, Redroot, Wild Carrot, Yellow Nutsedge\*.

\*These weeds may require ongoing treatment measures.

**IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.**

**DIRECTIONS FOR USE: Mixing:** Fill spray tank to 1/3 full and with agitation running, add chemicals to tank in the following order: 1) If a drift retardant is used then this must be added first. 2) Wettable powders and dispersible granules. 3) Suspension concentrates or flowables (Fabula). 4) Continue to fill tank to 1/2 full. 5) Add emulsifiable concentrates. 6) Complete filling of spray tank while maintaining agitation.

**RECOMMENDATIONS:** Apply with well calibrated ground-based spraying equipment prior to crop and weed emergence, ensuring thorough coverage of the soil. A contact herbicide such as glyphosate may be added to control emerged weeds.

**PUMPKINS AND BUTTERCUP SQUASH:** Apply Fabula at 300-470ml/hectare. Use the lowest rate for medium soils and if conditions are wet and cold. Use the higher rate on heavier soils and warmer temperatures. **DO NOT USE** on light sandy soils.

**POTATOES:** Apply 300-470ml/hectare after ridging and before weeds germinate. Use the lower rate on medium soils and if conditions are wet and cold. Use higher rate on heavier soils and warmer temperatures. **DO NOT USE** ON light, sandy soils. Ensure even spray coverage of the soil.

**Different potato varieties have different levels of sensitivity to Fabula and under certain environmental conditions, such as excessive rainfall. Varietal testing on a small scale should be undertaken to evaluate varietal sensitivity before widespread use.**



**UN3082. CLASS 9, PG III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SULFENTRAZONE 48% SOLUTION).**  
Do not carry this product on a passenger service vehicle.

**WARNING**  
Keep out of reach of children

**Fabula**<sup>®</sup>

**Herbicide with pre-emergent activity against some grass and broadleaf weeds in pumpkin, buttercup squash and potatoes.**

**Active Ingredient: contains 480g/litre sulfentrazone in the form of a suspension concentrate.**

**GROUP E HERBICIDE**

Registered pursuant to the ACVM Act 1997 No. P9205  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

In a transport emergency dial 111, Police or Fire Brigade.  
For specialist advice in an emergency only call:  
0800 734 607 (24 hours).



**Net Contents: 1 litre**



**READ LABEL CAREFULLY BEFORE USING**



**HSNO Classifications:** 6.3B, 6.4A, 6.8B, 6.9B, 9.1A, 9.2A  
**Approved under the HSNO Act 1996, HSR101129.** See [www.epa.govt.nz](http://www.epa.govt.nz) for controls.  
**Qualified Person/Contractor:** Required.

Causes mild skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause damage to organs through single, prolonged or repeated exposure.

**PRECAUTIONS:** Do not handle until all safety precautions have been read and understood. Do not breathe fumes, vapours or spray. Avoid contact with skin and eyes. When mixing or applying wear appropriate clothing including impervious, elbow-length gloves and eye protection. Wash hands and exposed skin before meals and after work. Do not eat, drink or smoke when using this product. Avoid release to the environment. Avoid contamination of any water supply with chemical or empty container.

Apply this product carefully. Spray drift may cause serious damage to desirable plants. Ensure compliance with relevant regional air management plans.

**This substance must be applied using ground-based methods only.**

**This substance must not be applied at rates exceeding 470 mL of formulated product/ha per application (225.6 g sulfentrazone/ha) and must not be applied to the same area more than once per year.**

**STORAGE:** Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

**SAFETY DATA SHEET:** A SDS and Product Safety Card (PSC) can be located at [www.adria.nz](http://www.adria.nz) or by calling 09-412-9817.

**VERY TOXIC TO AQUATIC LIFE WITH LONG-LASTING EFFECTS.** A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments. This substance must not be applied into or onto water.

**VERY TOXIC TO THE SOIL ENVIRONMENT.**

Very toxic to some plant species. **PRODUCT DISPOSAL:** Ensure unwanted product is used by another operator strictly in accordance with label directions. **CLEANING:** Flush spray equipment thoroughly with clean water after use.

**DISPOSAL OF CONTAINER:** Triple rinse container and add residue to spray tank. Return clean, empty container to an AgRecovery site for disposal.  
Avoid contamination of any water supply with chemical or empty container.



**FIRST AID:** If medical advice is needed, have product container or label at hand. Get medical advice/attention if you feel unwell. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

**SPILLS:** Contain leak or spillage and prevent entry to drains or waterways. Full protective clothing such as PVC or neoprene gloves, waterproof hat, coat and trousers worn outside rubber boots, with suitable respiratory and eye protection, should be worn during clean up and disposal. Keep unprotected people away from site. Absorb spillage with material such as soil or sawdust and dispose of safely.

**Batch No. and Manufacturing Date:** See on packaging  
**Registered to and Distributed by:** Adria New Zealand Limited.  
P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.  
Ph: 09 412 9817. Fax: 09 412 9807. [www.adria.nz](http://www.adria.nz)



**Notice to Buyer:** Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.