

**GENERAL INFORMATION:**

NURON is an insect growth inhibitor. Following ingestion by caterpillars, NURON disrupts chitin formation and consequently affected larvae fail to moult, with subsequent mortality.

**POLLINATORS:** When NURON is applied during non-foraging periods, applications will not interfere with the activity of honey bees once spray has dried.

**RESISTANCE WARNING:** Nuron contains a **GROUP 15 INSECTICIDE** belonging to the benzoylurea group of chemistry. Resistance to these insecticides could develop from excessive use. Alternate with products from alternative chemical groups. Apply a maximum of two applications per season. To minimise this risk, use strictly in accordance with label instructions and resistance management strategies at [www.nzpps.org/resistance](http://www.nzpps.org/resistance).

**IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.**

**DIRECTIONS FOR USE:** The rate suggested is for dilute spraying to run-off. For concentrate spraying adjust dilution rate accordingly.

CROP	PEST	RATE	REMARKS
Potatoes	Potato/tomato psyllid	1L/Ha	Make 1-2 applications early in the season (up to a maximum of 2 applications) at 7-10 day intervals, in mixture with a knockdown insecticide registered for TPP control if adults are present on foliage. Apply in sufficient water to achieve good coverage of all foliage. The addition of an adjuvant is recommended.

**MIXING:** NURON mixes readily with water. Add the required amount into the partly filled spray tank then add the rest of the water with agitation. Continue agitation while spraying.

**EQUIPMENT:** NURON can be applied with conventional ground spraying equipment. Rinse with clean water after use.

**COMPATIBILITY:** NURON may be tank mixed with most wettable powder insecticides and fungicides. DO NOT mix with foliar fertilisers or nutrient sprays.

**IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS).**

**WITHOLDING PERIODS:**

Potatoes – 42 days

**PLANT-BACK INTERVAL:** Following harvest of treated potato crops, a 12 month plant-back interval must be observed prior to planting follow-on crops that may be used to provide animal feed or forage.

# DANGER

KEEP OUT OF REACH OF CHILDREN

# Nuron®

An insect growth inhibitor for  
potato/tomato psyllid control in potatoes.

Active Ingredient: Contains 50g/litre lufenuron  
in the form of an emulsifiable concentrate.

**GROUP 15 INSECTICIDE**

Registered pursuant to the ACVM Act 1997 No. P7584  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.

In a transport emergency dial 111, Police or Fire Brigade.  
**For specialist advice in an emergency only call:  
0800 734 607 (24 hours).**



Net Contents: 5 litres



READ LABEL BEFORE USE



**HSNO Classifications:** 3.1C, 6.1E(Oral, Dermal), 6.3A, 6.4A, 6.9B, 9.1B, 9.2D  
**Approved under the HSNO Act 1996, HSR000407.** See [www.epa.govt.nz](http://www.epa.govt.nz) for controls.

This material may be harmful if swallowed and may be harmful in contact with skin. Causes serious eye irritation. Causes skin irritation. May cause damage to organs through single, prolonged or repeated exposure.

**PRECAUTIONS:** Store locked up in original container, tightly closed, away from foodstuffs in a cool, well ventilated area. Avoid contact with skin and eyes. Do not breathe fumes, vapours or spray. Wear protective gloves and clothing and eye and face protection. Do not eat, drink or smoke when using this product. Wash hands and exposed skin before meals and after work. Avoid contamination of any water supply with chemical or empty container. Do not apply directly into or onto water.

Apply this product carefully. Ensure compliance with relevant regional air management plans.

**GRAZING RESTRICTION:** The following restrictions on the use of this product must be observed. DO NOT feed treated crops or allow stock to graze the orchard sward for a period of 120 days after the last application of NURON. Take care not to allow spray drift onto pasture or crops outside of the treated property.

**STORAGE:** Store locked up in the original, unopened container in a cool, dry, well-ventilated place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

**FLAMMABLE LIQUID AND VAPOUR:** Keep away from heat, sparks, open flames and hot surfaces. No smoking. Keep container tightly closed. Ground container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

**ENVIRONMENTAL INFORMATION: TOXIC TO AQUATIC LIFE WITH LONG-LASTING EFFECTS.** Avoid contamination of any water supply with chemical or empty container. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments. Harmful to the soil environment.

**DISPOSAL OF CONTAINER:** Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



**FIRST AID:** If medical advice is needed, have product container or label at hand. Call a POISON CENTER or doctor/physician if you feel unwell. **IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before re-use. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. **IF exposed or if you feel unwell:** Call a POISON CENTER or doctor/physician. In case of fire: Use fine water spray, dry chemical or carbon dioxide for extinguishing. **SPILLS:** Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

**Batch No. and Manufacturing Date:** See on packaging  
**Registered to and Distributed by:** Adria New Zealand Limited.  
P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.  
Ph: 09 412 9817. Fax: 09 412 9807. [www.adria.nz](http://www.adria.nz)



**Notice to Buyer:** Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

