

COMPATIBILITY: Avia is compatible with most commonly used pest control insecticides

Domestic and Industrial Premises:

Ants – nests, runs, walls, drains and resting places wherever ants are seen.

Cockroaches – walls, skirting boards, cupboards, pet bedding, behind sinks, stoves and pipes. In particular, cracks and crevices.

Fleas – floors, carpets, skirting boards, kennels, bedding and adjacent wall area.

Fleas and mosquitoes – walls, skirting boards and all exposed surfaces where these flying insects may rest.

Spiders – nests and known hiding places, and exposed surfaces where spiders are seen.

Silverfish – locate the source of the infestation and spray. If it cannot be located, spray all the surfaces on which silverfish travel, especially inside cupboards.

Carpet Beetles – Thoroughly wet the infected carpet area so that spray solution penetrates the carpet pile. Removal of furniture or soft furnishings to gain access to infected areas may be necessary to obtain good control. Under heavy infestation, lift the carpet and spray the area underneath it.

Important – Food contamination:

Do not allow spray to contact food, food preparation surfaces or food utensils. Remove or cover all foodstuffs before application. Do not use in areas where edible dairy or meat products are processed, packed or stored. Do not use where food packaging materials (cartons, liners, etc) are stored or assembled. Do not use near air vents or ducts in food stores or processing plants while they are in operation. Wash all food contact surfaces thoroughly before reintroducing any foodstuffs.

DIRECTIONS FOR USE:

Residual control for up to 6 weeks may be obtained, depending on the insect pest, application rate and the nature of the treated surface.

Surface spray only – do not spray into the air.

SITUATIONS	INSECT PESTS	RATES	COMMENT
Houses, flats, factories, shops, warehouses, restaurants, meat and dairy processing plants.	Common spiders	Initial treatment: 30ml in 5 litres of water – or 30ml per 100m ² treated area. Maintenance treatments: 3ml in 5 litres of water – or 15ml per 100m ² treated area.	Apply as a course spray at the rate of 5 litres per 100 square metres or to the point of run-off, which will vary with the nature of the surface being treated.
	Fleas – knockdown treatment	Initial treatment: 25ml in 5 litres of water – or 25ml per 100m ² treated area.	If different water rates are used according to surface porosity adjust use rate to provide the same coverage of Avia per square metre, e.g. 5ml per 20 square metres for initial treatment of spiders.
	Ants, mosquitoes, fleas and ticks – residual control	Initial treatment: 60ml in 5 litres of water – or 60ml per 100m ² treated area. Maintenance treatments: 30ml in 5 litres of water – or 30ml per 100m ² treated area.	Avia can be applied with a knapsack sprayer or other conventional spray equipment used to control public health pests, e.g. Macromist™ sprayer.
	Cockroaches: German, American and <i>Drymaplaneta semivitta</i> (Gisborne cockroach)	Initial treatment: 50ml in 5 litres of water – or 50ml per 100m ² treated area. Maintenance treatments: 25ml in 5 litres of water – or 25ml per 100m ² treated area.	Note that Avia does not provide repellent activity of flies or other insects.
	Fleas – knockdown treatment	Initial treatment: 25ml in 5 litres of water – or 25ml per 100m ² treated area. Maintenance treatments: 12.5ml in 5 litres of water – or 12.5ml per 100m ² treated area.	If repellence is required, it is suggested that Picture® 100SC be used.
	Fleas – residual control	Initial treatment: 60ml in 5 litres of water – or 60ml per 100m ² treated area. Maintenance treatments: 30ml in 5 litres of water – or 30ml per 100m ² treated area.	



UN3082. CLASS 9, PG III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIFENTHRIN).

Do not carry this product on a passenger service vehicle.

WARNING
KEEP OUT OF REACH OF CHILDREN

Avia®

A residual insecticide for the control of spiders, fleas, ants, cockroaches and mosquitoes in domestic, industrial and public health areas.

Active Ingredient: contains 80g/litre bifenthrin in the form of a suspension concentrate.

GROUP **3** INSECTICIDE

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in an emergency only call:
0800 734 607 (24 hours).



Net Contents: 1 Litre



READ LABEL BEFORE USE



HSNO Classifications: 6.1D (Oral), 6.3A, 6.4A, 6.5B, 6.9B, 9.1A, 9.2C, 9.3B, 9.4A
Approved under the HSNO Act 1996, HSR100508.
Qualified Person/Contractor: Required.

WARNING: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.

PRECAUTIONS: Keep out of reach of children. Read label before use. Do not breathe fumes, vapours or spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective clothing. Collect Spillage. Apply this product carefully. Ensure compliance with relevant regional air management plans.

Avia shall not be used on structures where food for human consumption is being produced. Avia is restricted to indoor use only. The method of application of the substance shall be limited to ground based application only. Do not apply substance to plants if bees are foraging.

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

HARMFUL TO THE SOIL ENVIRONMENT. TOXIC TO TERRESTRIAL VERTEBRATES. VERY TOXIC TO TERRESTRIAL INVERTEBRATES.

TOXIC TO AQUATIC LIFE WITH LONG-LASTING EFFECTS. Avoid contamination of any water supply with chemical or empty container. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments. Avia shall not be applied onto or into water.

DISPOSAL OF CONTAINER: Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



FIRST AID: If medical advice is needed, have product container or label at hand. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Get medical advice/attention if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

Batch number and manufacturing date: See on packaging

Registered to and Distributed by: Adria New Zealand Ltd.
P O Box 535, 407 State Highway 16, Kumeu, Auckland
Phone: 09 412 9817 Fax: 09 412 9807 www.adria.nz



Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.