

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: Atlantis Flo
Product Use: Fungicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: Adria Crop Protection Solutions

Address: 407 State Highway 16

Kumeu 0841, Auckland

Telephone: +64 9 412 9817 Fax: +64 9 412 9807 Website: www.adria.nz

Emergency No: 0800 734 607 (24hr)

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 14 March 2023 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: HSR100435







Toxic/Irritant Chronic Ecotoxic

Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Acute inhalation toxicity Cat. 4	H332	Harmful if inhaled.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment chronic Cat. 2	H411	Toxic to aquatic life with long lasting effects.
Hazardous to soil organisms	H423	Hazardous to soil organisms

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

P260	Do not breathe fumes, vapours and spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P391	Collect spillage.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Azoxystrobin	25	131860-33-8

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

If on Skin Immediately flush body and clothes with large amounts of water. Remove

contaminated clothing and footwear. Wash affected areas with soap and

water. Seek medical attention immediately.

If Swallowed Do NOT induce vomiting if swallowed. Seek medical attention immediately.

For advice, contact the National Poisons Centre on 0800 POISON (0800

764766).

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Not applicable. **Inhalation:** Harmful if inhaled.

Skin: May cause mild skin irritation. **Eve:** Causes severe eye irritation.

Chronic: May cause damage to organs through prolonged or repeated exposure.

Treatment: No known specific antidote. Treat symptomatically.

Section 5. Fire Fighting Measures

Hazard Type	This product is not flammable.
Hazards from combustion products	Specific hazards in a fire: carbon monoxide, hydrogen fluoride, nitrogen oxides.
Suitable Extinguishing media	Use water spray, foam, dry chemical, or carbon dioxide to extinguish fires.
Recommended protective clothing & Precautions for firefighters	Wear SCBA and appropriate chemical-protective clothing.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Personal precautions:

Use protective clothing as per Section 8). Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately. Wash contaminated clothing before re-use.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Absorb spills with inert material and place in waste containers. Prevent material from entering waterways. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- Do not breathe fumes, vapours and spray.
- Use only outdoors or in a well-ventilated area.
- Cleaning water should be disposed of in appropriate manner.
- Wash contaminated clothing before re-use.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep out of reach of children.
- Store in original container tightly closed and in a locked, cool, dry, ventilated area away from foodstuffs, fertilisers and seeds.
- Protect from extreme temperatures.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL
Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls / Industrial Hygiene

Ensure adequate ventilation.

Personal Protection Equipment



Eyes	Wear safety goggles with side-shields or full-face shield.
Hands	Wear suitable gloves resistant to chemical penetration e.g. nitrile rubber
	gloves with a minimum thickness of 0.4 mm.
Skin	Body protection (chemical protection suit, boots) must be chosen depending
	on activity and possible exposure.
Respiratory	Wear respiratory protection if ventilation is inadequate. Particle filter with
	medium efficiency for solid and liquid particles.
General	Keep away from food, drink and animal feedstuffs. No eating, drinking or
	smoking during use. Wash hands and face before breaks and after work.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Off-white / Cream
Odour	Characteristic
Odour Threshold	Not available
pH	7
Boiling Point	345°C
Melting Point	116°C
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Density	1.103 g/L
Water Solubility	Not available
Partition Coefficient:	Not available
Ignition Temperature	Flammable at high temperatures
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous	None known.
reactions	
Conditions to Avoid	Protect from extreme temperatures
Incompatible Materials	None known.
Hazardous Decomposition	None known.
Products	

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable.	
-----------	-----------------	--

Product Name: Atlantis Flo

Date of SDS: 14 March 2023

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Dermal	Not applicable.	
Inhalation	Harmful if inhaled.	
Eye	Causes serious eye irritation.	
Skin	Not applicable.	

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May cause damage to organs through prolonged or repeated
	exposure.

Acute Toxicity -

Chemical Name	LD50 (Oral)	LD50 (Dermal)	LC50 (inhalation)
Product			
Azoxystrobin (131860-33-8)	>5000 mg/kg (rat)	>4000mg/kg (Rat)	>0.7mg/l (Rat) air

Section 12. Ecotoxicological Information

Ecological effects information	Toxic to aquatic life with long lasting effects.
	Hazardous to soil organisms.
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available
Acute fish toxicity:	LC ₅₀ (96 h) Rainbow trout > 2 mg/L
Toxicity for daphnia:	EC50 (48h) > 0.4 mg/L, Daphnia magna
Toxicity to algae:	EC50 (120h) Selenastrum capricornutum >0.1 mg/L.
	EbC50 (72h) 0,23 mg/L.
Precautions:	Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Road, Rail, Sea and Air Transport

UN No	3082	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	
	N.O.S (Azoxystrobin)	
Marine Pollutant	Yes	
Special Provisions-	If the product's individual container is below 5L/kg, it can be	
Limited Quantities	transported as a non-DG as long as the product packaging is still	
	labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: HSR100435

HSW (HS) Regulations 2017	Trigger Quantity			
Certified Handlers	Not required			
Signage Trigger Quantities (Schedule 3)	1000L			
Emergency Response Plan (Schedule 5)	1000L			
Secondary Containment (Schedule 5)	1000L			
Tracking (Schedule 26)	Not required			
For all further controls	Refer to EPA www.epa.govt.nz for controls			
	document - HSR100435			
HSNO Additional Controls (Restrictions of use)				
77A	This substance must not be applied onto or			
	into water.			
A maximum application rate is set for this	The maximum application rate of this			
substance.	substance shall be:			
	• 126 g a.i./ha, 2 times per year, with a			
	minimum application interval of 7 days;			
	• 201.6 g a.i./ha, 2 times per year, with a			
	minimum application interval of 10 days;			
	and			
	• 252 g a.i./ha, 2 times per year, with a			
	minimum application interval of 14 days.			
ACVM Act and Regulations				
ACVM Approval No	P8171			
See <u>www.foodsafety.govt.nz</u> for registration				
controls				

Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC50 Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.

3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).

4. Transport of Dangerous goods on land NZS 5433:2020

5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 14 March 2023 Review Date: 14 March 2028