

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: Goldazim 500SC

Product Use: Fungicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: Adria Crop Protection Solutions

Address: 407 State Highway 16

Kumeu 0841, Auckland

Telephone: +64 9 412 9817 Fax: +64 9 412 9807 Website: www.adria.nz

Emergency No: 0800 734 607 (24hr)

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 21 March 2023 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: HSR000453

Pictograms





Signal Word: DANGER

GHS Classification and Category	Hazard Code	Hazard Statement
Germ cell mutagenicity Cat. 1	H340	May cause genetic defects
Reproductive toxicity Cat. 1	H360	May damage fertility or the unborn child.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms	H422	Hazardous to soil organisms.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.

Product Name: Goldazim 500SC SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2018 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

P103	Read carefully and follow all instructions.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe fumes, vapours or spray.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P314	Get medical advice/attention if you feel unwell.
P391	Collect spillage.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Content (%w/v)	CAS NUMBER.
Carbendazim	50%	10605-21-7
Not hazardous	To bal	

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. If eye irritation persists:

Get medical advice/attention.

If on Skin. Remove affected clothing and wash all exposed skin area with mild soap

and water, followed by warm water rinse. Seek medical attention if ill

effect or irritation develops.

If Swallowed Do NOT induce vomiting if swallowed. For advice, contact the National

Poisons Centre on 0800 POISON (0800 764766) or seek medical attention

immediately.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion:Not applicable.Inhalation:Not applicable.Skin:Not applicable.Eye:Not applicable.

Chronic: May cause genetic defects.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

Treatment: Treat according to symptoms (decontamination, vital functions). No known

specific antidote.

Section 5. Fire Fighting Measures

Hazard Type	This product is non-flammable.
Hazards from combustion	High temperature may liberate toxic gases. Carbon
products	monoxide. Carbon dioxide. Nitrogen oxides.
Suitable Extinguishing	Water. Foam. Carbon dioxide. Dry chemical. Use
media	extinguishing media appropriate for surrounding fire.
Recommended protective	Wear SCBA and chemical-protective clothing.
clothing & Precautions for	
firefighters	
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Personal precautions:

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately. Wash contaminated clothing before re-use.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Keep out of reach of children.
- Read carefully and follow all instructions.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Do not breathe fumes, vapours or spray.
- Ventilation required.
- Keep away from: sparks, open flame and direct sunlight.
- Avoid release to the environment.
- Use personal protective equipment as required.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep away from heat and protect from sunlight.
- Protect against freezing.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls / Industrial Hygiene

Ensure there is sufficient ventilation of the area.

Personal Protection Equipment



Eyes	Safety goggles with side-shields.
Hands	Wear suitable gloves resistant to chemical penetration e.g. nitrile rubber gloves with a minimum thickness of 0.4 mm.
Skin	Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.
Respiratory	Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles.
General	Keep away from food, drink and animal feedstuffs. No eating, drinking or smoking during use. Wash hands and face before breaks and after work.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Cream
Odour	None
Odour Threshold	Not available
pH	7.6
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not flammable
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Density	1.7 g/L
Water Solubility	Not available
Partition Coefficient:	Not available
Ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	None known.
Conditions to Avoid	None known.
Incompatible Materials	Reacts with: Strong acids. Strong bases.
Hazardous Decomposition	High temperature may liberate toxic gases. Carbon
Products	monoxide. Carbon dioxide. Nitrogen oxides.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive Toxicity	May damage fertility or the unborn child.	
Germ Cell Mutagenicity	May cause genetic defects.	
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	May cause damage to organs through prolonged or repeated exposure.	

Acute Toxicity -

Chemical Name	LD50 (Oral)	LD50 (Dermal)	LC50 (inhalation)
Carbendazim (10605-21-7)	4150mg/kg (Guinea pig)	>2000mg/kg	-

Section 12. Ecotoxicological Information

Ecological effects information	Very toxic to aquatic life with long lasting effects.		
	Hazardous to soil organisms.		
Persistence and degradability	No		
Bioaccumulation	No		
Mobility in Soil	LC50 (14 day) = Eisenia Fetida (earthworm) = 8.4mg/kg		
Other adverse effects	No data available		
Acute fish toxicity:	Acute: LC50 (96 h) Channel catfish = 0.014mg/l		
	Chronic: NOEC – Rainbow trout = 0.011mg/l		
Toxicity for crustacean:	Acute: EC50 (48 h) = Daphnia Magna (water Flea =		
	0.11mg/l		
	Chronic: NOEC (21 days) = Daphnia Magna =		
	0.0031mg/l		
Toxicity to algae:	EC50 (48hr) = Chlorella pyrenoidosa Green algae =		
	0.34mg/l		
Precautions:	Do not allow to enter waterways.		

Section 13. **Disposal Considerations**

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Product Name: Goldazim 500SC SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 5

Road, Rail, Sea and Air Transport

UN No	3082	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	
	N.O.S. (CARBENDAZIM 50% SOLUTION)	
Marine Pollutant	Yes	
Special Provisions-	If the product's individual container is below 5L/kg, it can be	
Limited Quantities	transported as a non-DG as long as the product packaging is still	
	labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: HSR000453

HSW (HS) Regulations 2017	Trigger Quantity		
Certified Handlers	Not required		
Location Certificate	Not required		
Signage Trigger Quantities (Schedule 3)	100L		
Emergency Response Plan (Schedule 5)	100L		
Secondary Containment (Schedule 5)	100L		
Tracking (Schedule 26)	Not required		
For all further controls	Refer to EPA <u>www.epa.govt.nz</u> for controls		
	document - HSR000453		
HSNO Additional Controls (Restrictions of use)			
77A	The substance must not be applied onto or		
	into water.		
ACVM Act and Regulations			
ACVM Approval No	P5470		
See <u>www.foodsafety.govt.nz</u> for registration			
controls			

Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC₅₀ Median effective concentration. EEL Environmental Exposure Limit. EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 21 March 2023 Review Date: 21 March 2028