

## SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

## Section 1. Identification of the material and the supplier

Product: **Hexazinone 750WG** 

Product Use: Herbicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: Adria Crop Protection Solutions

Address: 407 State Highway 16

Kumeu 0841, Auckland

Telephone: +64 9 412 9817 Fax: +64 9 412 9807 Website: www.adria.nz

Emergency No: 0800 734 607 (24hr)

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 21 March 2023 v2

#### Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

**EPA Approval No: HSR000516** 

#### **Pictograms**







Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Acute oral toxicity Cat. 4	H302	Harmful if swallowed.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms	H421	Hazardous to soil organisms
Hazardous to terrestrial vertebrates	H433	Hazardous to terrestrial vertebrates

Product Name: Hexazinone 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 21 March 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

<b>Prevention Code</b>	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P260	Do not breathe dusts.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective clothing as per Section 8.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel
	unwell.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

<b>Storage Code</b>	Storage Statement
None Allocated	

Disposal Code	Disposal Statement
P501	Refer to Section 13.

# Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Content (%w/v)	CAS NUMBER.
Hexazinone	75%	51235-04-2
Not hazardous	To bal	

#### Section 4. First Aid Measures

#### Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

If on Skin. Wash affected areas with soap and water. Seek medical attention

immediately.

If Swallowed Rinse mouth. Do NOT induce vomiting if swallowed. For advice, contact

the National Poisons Centre on 0800 POISON (0800 764766) or seek

medical attention immediately.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

## Most important symptoms and effects, both acute and delayed

Symptoms:

**Ingestion:** Harmful if swallowed. **Inhalation:** Not applicable.

**Skin:** Causes mild skin irritation. **Eve:** Causes severe eye irritation.

**Chronic:** May cause damage to organs through prolonged or repeated exposure.

Product Name: Hexazinone 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 21 March 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 2

**Treatment:** No known specific antidote. Treat symptomatically.

## Section 5. Fire Fighting Measures

Hazard Type	Non-Flammable
Hazards from combustion products	Specific hazards in a fire: carbon monoxide, hydrogen fluoride, nitrogen oxides.
Suitable Extinguishing media	Use water, foam, dry chemical, or carbon dioxide to extinguish fires.
Recommended protective clothing & Precautions for firefighters	Wear SCBA and chemical-protective clothing.
HAZCHEM CODE	2Z

#### Section 6. Accidental Release Measures

#### Personal precautions:

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately. Wash contaminated clothing before re-use.

#### **Environmental precautions:**

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### Spill and Disposal procedures:

Sweep up and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

# Section 7. Handling and Storage

## **Precautions for Handling:**

- Keep out of reach of children.
- Read carefully and follow all instructions.
- Do not breathe dusts.
- Wash hands thoroughly after handling.
- Ensure adequate ventilation.
- Cleaning water should be disposed of in appropriate manner.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Wear protective clothing as per Section 8.

## **Precautions for Storage:**

- Store away from incompatible materials listed in Section 10.
- Store in original container tightly closed and in a locked, cool, dry, ventilated area away from foodstuffs, fertilisers and seeds and sources of ignition.
- Protect from extreme temperatures.
- Keep out of reach of children.
- Protect from temperatures above: 40 °C.

## Section 8 Exposure Controls / Personal Protection

#### **WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or

Product Name: Hexazinone 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 21 March 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

## **Engineering Controls / Industrial Hygiene**

Ensure there is sufficient ventilation of the area.

## **Personal Protection Equipment**



Eyes	Safety goggles with side-shields.
Hands	Suitable chemical resistant safety gloves (e.g. nitrile rubber (.4mm)).
Skin	Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.
Respiratory	Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles.
General	Keep away from food, drink and animal feedstuffs. No eating, drinking or smoking during use. Wash hands and face before breaks and after work.

## **Section 9** Physical and Chemical Properties

Appearance	Granule
Colour	Tan
Odour	Characteristic
Odour Threshold	Not available
pH	6.5 – 8.5
<b>Boiling Point</b>	Not available
Melting Point	>100°C / decomposes before boiling
Freezing Point	Not available
Flash Point	Not available
Flammability	Not flammable
<b>Upper and Lower Explosive Limits</b>	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Density	1.000 g/L
Water Solubility	Not available
Partition Coefficient:	Not available
Ignition Temperature	Not available
<b>Decomposition Temperature</b>	Not available
Viscosity	Not available
Particle Characteristics	Not available

## Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	None known.
Conditions to Avoid	Temperature extremes.
Incompatible Materials	Incompatible or can react with strong bases.
Hazardous Decomposition	Specific hazards in a fire: carbon monoxide,
Products	hydrogen fluoride, nitrogen oxides.

# Section 11 Toxicological Information

## **Acute Effects:**

Swallowed	Harmful if swallowed.
Dermal	Not applicable.
Inhalation	Not applicable.

Product Name: Hexazinone 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 21 March 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

Eye	Causes serious eye irritation.
Skin	Not applicable.

#### **Chronic Effects:**

Carcinogenicity	Not applicable.	
Reproductive Toxicity	Not applicable.	
Germ Cell Mutagenicity	Not applicable.	
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	May cause damage to organs through prolonged or	
	repeated exposure.	

#### **Acute Toxicity -**

Chemical Name	LD50 (Oral)	LD50 (Dermal)	LC50 (inhalation)
Hexazinone (51235-04-2)	>860mg/kg (Guinea Pig)	>5000mg/kg (Rat)	3.94mg/l (Rat)

## Section 12. Ecotoxicological Information

<b>Ecological effects information</b>	Very toxic to aquatic life with long lasting effects.	
Ecological effects illiorillation	, ,	
	Hazardous to soil organisms.	
	Hazardous to terrestrial vertebrates.	
Persistence and degradability	No data available	
Bioaccumulation	No data available	
Mobility in Soil	No data available	
Other adverse effects	No data available	
Acute fish toxicity:	LC50 (96h) Rainbow trout > 300 mg/L, Bluegill sunfish >	
	350 mg/L.	
Toxicity for daphnia magna:	LC50 (48h) > 400 mg/L.	
Toxicity to algae:	EC50 (120h) Selenastrum capricornutum 0.007 mg/L.	
Precautions:	Do not allow to enter waterways.	

## **Section 13. Disposal Considerations**

## **Disposal Method:**

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



#### **Empty container precautions:**

Avoid contamination of any water supply with chemical or empty container.

**Precautions or methods to avoid:** Avoid release to the environment.

#### Section 14 **Transport Information**

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Product Name: Hexazinone 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 21 March 2023

Tel: 64 9 475 5240 www.techcomp.co.nz

#### Road, Rail, Sea and Air Transport

UN No	3077	
Class - Primary	9	
Packing Group	III	
<b>Proper Shipping Name</b>	<b>ENVIRONMENTALLY HAZARDOUS SUNSTANCE, SOLID,</b>	
	N.O.S (contains hexazinone).	
Marine Pollutant	Yes	
Special Provisions-	If the product's individual container is below 5L/kg, it can be	
Limited Quantities	transported as a non-DG as long as the product packaging is still	
	labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

#### Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: HSR000516

HSW (HS) Regulations 2017	Trigger Quantity	
Certified Handlers	Not required	
Location Certificate	Not required	
Signage Trigger Quantities (Schedule 3)	100L	
Emergency Response Plan (Schedule 5)	100L	
Secondary Containment (Schedule 5)	100L	
Tracking (Schedule 26)	Not required	
For all further controls	Refer to EPA <u>www.epa.govt.nz</u> for controls	
	document - HSR000516	
HSNO Additional Controls (Restrictions of use)		
77A	a). The substance must not be applied onto	
	or into water.	
ACVM Act and Regulations		
ACVM Approval No	P7959	
See <u>www.foodsafety.govt.nz</u> for registration		
conditions.		

## Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

## Glossary

EC50Median effective concentration.EELEnvironmental Exposure Limit.EPAEnvironmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC<sub>50</sub> Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD<sub>50</sub> Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

Product Name: Hexazinone 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 21 March 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- Transport of Dangerous goods on land NZS 5433:2020 4.
- HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-todate information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 21 March 2023 Review Date: 21 March 2028

Product Name: Hexazinone 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 21 March 2023

Tel: 64 9 475 5240 www.techcomp.co.nz