Product Safety Card Nuron®



Issue Date: 27/03/2023

	•	uid (emulsifiable conce Io. 103055-07-8).	ntrate) containing		ipping nam anone, Lufe	e: FLAMMABLI	E LIQUID, N.O	.S.
UN No.	DG Class		Packing Group	Flash Point (°C)	HAZCHEM		_	Maximum Transport Quantity
1993	3	N/A	III	50°C	3Y	Yes		250L
Hazard Classifications [EPA Approval Code: HSR000407]				Tracking	Required	Certified I	Handler	IER Guide
lam. Liq. 3, Sl	kin 2, Eye 2	STOT RE 2, Aquatic Chror	nic 2, Environ. Haz. (So	oil) N	١o	No		No. 47
mergency p	procedure	s - 24-hour advice in an	emergency only: 0	800 734 607				
lazard anker/Vehicle	Accident	Response Switch off engine and elect 111	trical equipment. Keep p	eople away, warn ot	her traffic. Che	eck for spills, leaks	. Call the emerge	ncy services: Dia
Spill or leak		Wear PVC overalls, chemical resistant gloves, facemask or goggles. Prevent further spillage. Collect spilled material and place in sealable container for disposal. Wash down affected area with water plus detergent. Absorb and collect washings and place in the same sealable container for disposal. Seek advice from the local authority regarding disposal.						
Fire		Call the Fire Service: Dial 111. Wear PVC protective clothing and breathing apparatus. Extinguish fires with water spray, fog or foam. During a fire toxic fumes may be released. Cool containers with flooding quantities of water until well after fire is out. Contain run-off. Keep non-involved persons away.						
First Aid								
f swallowed		Rinse mouth with water. D Centre 0800 POISON (0800	•		rsists, seek me	dical advice. For a	dvice, contact th	e National Poiso
If in eyes		Hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. Get medical attention if irritation persists.						
If on skin		If skin or hair contact occurs, remove contaminated clothing and wash skin and hair with plenty of soap and water. Get medical attention irritation occurs and persists.						
If inhaled		Remove patient to fresh ai develop.	r. If not breathing, give a	rtificial respiration, p	oreferably mou	uth to nose. Get m	edical attention i	f symptoms
Storage and	segregatio							
		on summary						
		on summary Store in original contain rom foodstuffs, animal						tore away
Storage Aggregate st volume thre	orage \	Store in original contain	feed, children and a ances of the same h	animals. Keep co nazard, the aggre	ntainer sea egate quant	led when not i	n use. nsidered. For	
Storage Aggregate st	corage \ sholds r	Store in original contain rom foodstuffs, animal When stored with subst	feed, children and a ances of the same h 8409 Management Number of fire	animals. Keep co nazard, the aggre	ntainer sea egate quant s and the HS	led when not in ity must be con SNO Regulation Emergency	n use. nsidered. For	
Storage Aggregate st volume thre	sorage sholds rtificate	Store in original contain rom foodstuffs, animal When stored with subst refer to the current NZS	feed, children and a ances of the same h 8409 Management Number of fire	animals. Keep co nazard, the aggre of Agrichemicals Hazard class and	ntainer sea egate quant s and the HS d on signage	led when not in ity must be con SNO Regulation Emergency	n use. nsidered. For as. Emergency	full details, Secondary
Aggregate st volume thre Location Cer 500L(>5 1500L(<5 250 L op	sorage \sholds r tificate L), SL), en	Store in original contain from foodstuffs, animal When stored with subst refer to the current NZS Hazardous area ≥100L closed, 25L decanting,	feed, children and a ances of the same h 8409 Management Number of fire extinguishers 500L – 2 required	animals. Keep co nazard, the aggre of Agrichemicals Hazard class and emergency actio	ntainer sea egate quant s and the HS d on signage	led when not in ity must be con SNO Regulation Emergency information 1 L	n use. nsidered. For ans. Emergency plan 1,000 L	Secondary containment
Aggregate st volume thre Location Cer 500L(>5 1500L(<5 250 L op DO NOT store of	sorage sholds r tificate L), SL), en or load with:	Store in original contain from foodstuffs, animal When stored with subst refer to the current NZS Hazardous area ≥100L closed, 25L decanting, 5L open occasionally Class 1, 2.1, 2.3, 4.2, 5.1, 5.2	feed, children and a ances of the same h 8409 Management Number of fire extinguishers 500L – 2 required ,7	animals. Keep conazard, the aggresof Agrichemicals Hazard class and emergency action 1,000 L Segregate from: Secontainer. Class 4.2.	ntainer sea egate quant s and the HS d on signage parate by at le Class 5.1, 5.2	led when not in ity must be considered when not in ity must be considered with the ity must be	n use. nsidered. For ans. Emergency plan 1,000 L but one in separa	Secondary containment 1,000 L
Aggregate st volume thre ocation Cer 500L(>5 1500L(<5 250 L op 00 NOT store of	sorage sholds r tificate L), SL), en or load with:	Store in original contain from foodstuffs, animal When stored with substrefer to the current NZS Hazardous area ≥100L closed, 25L decanting, 5L open occasionally Class 1, 2.1, 2.3, 4.2, 5.1, 5.2 Land Transport Rule Degation. Refer NZS5433	feed, children and a ances of the same h 8409 Management Number of fire extinguishers 500L – 2 required ,7	animals. Keep conazard, the aggresof Agrichemicals Hazard class and emergency action 1,000 L Segregate from: Secontainer. Class 4.2.	egate quant s and the HS d on signage parate by at le Class 5.1, 5.2	led when not in ity must be considered when not in ity must be considered with the ity must be	n use. nsidered. For the state of the state	Secondary containment 1,000 L
Aggregate st volume thre cocation Cer 500L(>5 1500L(<5 250 L op 00 NOT store of Gegregation:	sorage sholds r tificate L), SL), en or load with:	Store in original contain from foodstuffs, animal When stored with substrefer to the current NZS Hazardous area ≥100L closed, 25L decanting, 5L open occasionally Class 1, 2.1, 2.3, 4.2, 5.1, 5.2 Land Transport Rule Degation. Refer NZS5433	feed, children and a ances of the same h 8409 Management Number of fire extinguishers 500L – 2 required ,7	animals. Keep conazard, the aggress of Agrichemicals Hazard class and emergency action 1,000 L Segregate from: Secontainer. Class 4.2. 05, Rule 45001/20 or details.	egate quant s and the HS d on signage parate by at le Class 5.1, 5.2 1 for addition	led when not in ity must be considered when not in ity must be considered with the con	n use. nsidered. For the state of the state	Secondary containment 1,000 L

completeness or suitability of this information. The consignor and consignee are responsible to determine the suitability of this information for their particular purposes.