

SAFETY DATA SHEET

According to
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product:	Pyrax
Product Use:	Fungicide
Restriction of Use:	Refer to Section 15
New Zealand Supplier:	Adria Crop Protection Solutions
Address:	407 State Highway 16 Kumeu 0841, Auckland
Telephone:	+64 9 412 9817
Fax:	+64 9 412 9807
Website:	www.adria.nz
Emergency No:	0800 734 607 (24hr) 0800 764 766 (National Poison Centre)
Date of SDS Preparation:	28 March 2023 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: HSR101115

Pictograms



Signal Word: **DANGER**

GHS Classification and Category	Hazard Code	Hazard Statement
Flammable Liquids Cat. 4	H227	Combustible liquid.
Acute inhalation toxicity Cat. 4	H332	Harmful if inhaled.
Aspiration hazard Cat. 1	H304	May be fatal if swallowed and enters airways.
Skin irritation Cat. 2	H315	Causes skin irritation.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Specific target organ toxicity - repeated exposure Cat. 1	H372	Causes damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust, fumes, gas, mist, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P331	Do NOT induce vomiting.
P362	Take off contaminated clothing and wash before re-use.
P391	Collect spillage.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P370 + P378	In case of fire: Use dry chemical extinguisher, foam or carbon dioxide for extinction.

Storage Code	Storage Statement
P405	Store locked up.
P403 + P235	Store in a well-ventilated place. Keep cool.

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Content (%w/v)	CAS NUMBER.
Pyraclostrobin	25	175013-18-0
Non-hazardous ingredients	To bal	-

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on Skin	Take off contaminated clothing and wash before re-use. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
If Swallowed	Rinse mouth. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical attention if needed. Call a POISON CENTRE or doctor/physician if you feel unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: May be fatal if swallowed and enters airways.

Inhalation: Harmful if inhaled.

Skin: Causes skin irritation.

Eye: Causes serious eye irritation.

Chronic: Causes damage to organs through single, prolonged or repeated exposure.

Treatment: Treat according to symptoms (decontamination, vital functions). No known specific antidote.

Section 5. Fire Fighting Measures

Hazard Type	This product is combustible.
Hazards from products	During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.
Suitable Extinguishing media	Extinguish warehouse and factory fires using dry chemical extinguisher, alcohol-resistant foam, carbon dioxide.
Recommended protective clothing & Precautions for firefighters	Wear SCBA and chemical-protective clothing.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Personal precautions:

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Do not breathe dust, fumes, gas, mist, vapours or spray.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.

Precautions for Storage:

- Keep away from children.
- Store locked up.
- Store in a well-ventilated place. Keep cool.

- Store in original container tightly closed, locked, cool, dry, ventilated area away from foodstuffs, fertilisers and seeds.
- Protect from extreme temperatures.
- Stores containing more than 100L of product require emergency response plans and secondary containment systems and are subject to signage. Refer to the current standard NZS8409 Management of Agrichemicals.
- Store away from incompatible materials listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredient has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls / Industrial Hygiene

Provide local exhaust or general room ventilation to minimize dust and/or vapour concentrations.

Personal Protection Equipment



Eyes	Safety goggles with side-shields.
Skin	Suitable chemical resistant safety gloves (e.g. nitrile rubber (.4mm)). Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.
Respiratory	Respirator (organic vapour and particulate matter) should be used if airborne particles are generated when handling this material.
General	Avoid contact with skin and eyes and inhalation of dust from concentrate or spray mist. When mixing or applying, wear protective clothing, including face shield, impervious gloves and footwear. If clothing becomes contaminated with product, remove clothing immediately. DO NOT eat, drink or smoke while using. Wash hands and exposed skin thoroughly with soap and water before meals and after work. Wash protective clothing daily after work.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Dark yellow
Odour	Characteristic
Odour Threshold	Not available
pH	5.7
Melting Point/Boiling Point	Not available.
Freezing Point	Not available
Flash Point	98°C
Flammability	Not available
Upper and Lower Explosive Limits	Not available

Product Name: Pyrax
Date of SDS: 28 March 2023

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Vapour Pressure	Not available
Vapour Density	Not available
Density	0.997 g/cm ³
Water Solubility	Not available
Octanol/water partition coefficient:	Not available
Auto Ignition Temperature	475°C
Decomposition Temperature	Not available
Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	None known.
Conditions to Avoid	Heat and light.
Incompatible Materials	Strong bases, acids and oxidising agents.
Hazardous Decomposition Products	None known.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not triggered. LD50: > 300 mg/kg.
Dermal	Not triggered. LD50 > 4,000 mg/kg (rats)(Pyraclostrobin)
Inhalation	Not triggered. LC50 (4 h) 0.58 mg/L (Pyraclostrobin)
Eye	Causes serious eye irritation.
Skin	Causes skin irritation.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	May be fatal if swallowed and enters airways.
STOT/SE	Causes damage to organs through single exposure.
STOT/RE	Causes damage to organs through prolonged or repeated exposure.

Section 12. Ecotoxicological Information

Ecological effects information	Very toxic to aquatic life with long lasting effects.
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available
Acute fish toxicity:	LC50 (96 h) 0.006 mg/L (Rainbow trout)
Toxicity for crustacean (daphnia):	EC50 (48 h) 0.016 mg/L
Toxicity to algae:	ErC50 (72 h) > 0.843 mg/L (Pseudokirchneriella subcapitata). EbC50 (72 h) 0.152 mg/L (Pseudokirchneriella subcapitata).
Precautions:	Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Road, Rail, Sea and Air Transport

UN No	3082
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, (PYRACLOSTROBIN 25%), LIQUID, N.O.S.
Marine Pollutant	Yes
Special Provisions-Limited Quantities	If the product's individual container is below 5L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: HSR101115

HSW (HS) Regulations 2017	Trigger Quantity
Certified Handlers	Not required
Location Certificate	Not required
Signage Trigger Quantities (Schedule 3)	100L
Fire Extinguishers (Schedule 4)	500L – 2 extinguishers
Emergency Response Plan (Schedule 5)	100L
Secondary Containment (Schedule 5)	100L
Tracking (Schedule 26)	Not required
HSNO Additional Controls (Restrictions of use)	Refer to EPA www.epa.govt.nz for controls document - HSR101115
77A	a) A maximum application rate is set for this substance. Variation:

	<p>Any person applying the substance, must ensure that the application is carried out in accordance with the following restrictions:</p> <ul style="list-style-type: none"> · the substance must not be applied at rates exceeding 1 L of formulated product/ha per application (equivalent to 250 g pyraclostrobin/ha); and · the substance must not be applied more than twice per crop cycle per 365 days; and an interval of at least 14 full days must be observed before the substance is reapplied to the same area <p>b) This substance must not be applied into or onto water[1] [1] where 'water' means water in all its physical forms, whether flowing or not, and whether over or under ground, but does not include water in any form while in a pipe, tank or cistern or water used in the dilution of the substance prior to application.</p> <p>c) The maximum level of an impurity in the technical grade active material for this substance is set. Variation: The following limits are set for toxicologically relevant impurities in the active ingredient pyraclostrobin used to manufacture this substance: dimethyl sulfate: 3 mg/kg maximum</p>
ACVM Act and Regulations	
ACVM Approval No See www.foodsafety.govt.nz for registration controls	P9203

Section 16	Other Information
-------------------	--------------------------

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 28 March 2023 Review Date: 28 March 2028