

# **SAFETY DATA SHEET**

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

# Section 1. Identification of the material and the supplier

Product: Validus 200EW

Product Use: Fungicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: Adria Crop Protection Solutions

Address: 407 State Highway 16

Kumeu 0841, Auckland

Telephone: +64 9 412 9817 Website: www.adria.nz

Emergency No: 0800 734 607 (24hr)

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 26 April 2023 v2

# Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

**EPA Approval No: HSR007666** 

#### **Pictograms**







Signal Word: DANGER

GHS Classification and Category	Hazard Code	Hazard Statement
Aspiration hazard Cat. 1	H304	May be fatal if swallowed and enters airways.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Reproductive toxicity Cat. 2	H361	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment chronic Cat. 2	H411	Toxic to aquatic life with long lasting effects.
Hazardous to soil organisms	H423	Hazardous to soil organisms.

<b>Prevention Code</b>	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P201	Obtain special instructions before use.

P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe fumes, vapours or spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280 Wear protective clothing as detailed in Section 8.	
P281	Use personal protective equipment as required.

Response code	Response Statement	
P101	If medical advice is needed, have product container or label at hand.	
P314	Get medical advice/attention if you feel unwell.	
P331	Do NOT induce vomiting.	
P391	Collect spillage.	
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove	
P351+P338	contact lenses, if present and easy to do. Continue rinsing.	
P308 + P313	IF exposed or concerned: Get medical advice/ attention.	
P337 + P313	If eye irritation persists: Get medical advice/attention.	

Storage Code	Storage Statement
P405	Store locked up.

<b>Disposal Code</b>	Disposal Statement
P501	Refer to Section 13.

#### Section 3. **Composition / Information on Hazardous Ingredients**

Ingredients	Content (%w/v)	CAS NUMBER.
Myclobutanil	± 20 %	88671-89-0
Heavy aromatic solvent	> 20%	64742-94-5
Cyclohexanone	± 10 %	108-94-1
Non-hazardous ingredients	To bal	-

#### Section 4. **First Aid Measures**

#### Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists

immediately call a POISON CENTRE or doctor/physician.

If on Skin Wash affected areas with soap and water. If skin irritation occurs: Get

medical advice/attention.

If Swallowed If swallowed, do NOT induce vomiting. Rinse mouth. For advice contact

the National Poisons Centre 0800 POISONS (0800 764 766) or a doctor

immediately.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

> remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

# Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: May be fatal if swallowed and enters airways.

Inhalation: Not applicable. Skin: Not applicable.

Eve: Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure. **Chronic:** 

Suspected of damaging fertility or the unborn child.

Product Name: Validus 200EW SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 Date of SDS: 26 April 2023 www.techcomp.co.nz

# Section 5. Fire Fighting Measures

Hazard Type	This product is not flammable.
Hazards from products	Toxic fumes of hydrogen chloride and/or hydrogen cyanide.
	Contain runoff and avoid inhalation of smoke fumes.
Suitable Extinguishing	CO2, dry chemical or water spray.
media	
Recommended protective	Self-contained breathing apparatus and full protective
clothing & Precautions for	clothing.
firefighters	
HAZCHEM CODE	3Z

#### Section 6. Accidental Release Measures

#### **Personal precautions:**

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately.

# **Environmental precautions:**

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### Spill and Disposal procedures:

Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

# Section 7. Handling and Storage

#### **Precautions for Handling:**

- Read carefully and follow all instructions.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- May cause reproductive/developmental damage and/or organ damage from repeated oral exposure at high doses. Females of childbearing age should not come into contact with the product.
- Do not breathe fumes, vapours or spray.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.
- Use personal protective equipment as required.

#### **Precautions for Storage:**

- Keep away from children.
- Store locked up.
- Store in original container tightly closed and in a locked, cool, dry, ventilated area away from foodstuffs.
- When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of the product that is older than this.
- Store away from incompatible materials listed in Section 10.

# Section 8 Exposure Controls / Personal Protection

### **WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

	IWA		SIEL	
Substance	ppm	mg/m³	ppm	mg/m³

Cyclohexanone (skin) [108-94-1] 25 100 - -

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

#### **Engineering Controls / Industrial Hygiene**

Provide general and/or local exhaust ventilation to control airborne levels.

# **Personal Protection Equipment**



Eyes	Use chemical goggles or a full-face respirator.	
Skin	Suitable chemical resistant safety gloves (e.g. nitrile rubber (.4mm)). Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.	
Respiratory	When required for certain operations, use an air-purifying respirator for dust/mist that complies with relevant NZ Standards.	
General	Do not eat, drink or smoke while using product. Remove protective clothing immediately after handling this product and wash hands and skin before meals and after work.	

# **Section 9 Physical and Chemical Properties**

Appearance	Liquid
Colour	Off-white
Odour	Aromatic solvent odour
Odour Threshold	Not available
pH	7,8
Melting Point/Boiling Point	> 100 °C
Freezing Point	Not available
Flash Point	>100°C
Flammability	Not available
<b>Upper and Lower Explosive Limits</b>	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Density	1.02 g/cm <sup>3</sup>
Water Solubility	Not available
Octanol/water partition	Not available
coefficient:	
Auto Ignition Temperature	> 400 °C
<b>Decomposition Temperature</b>	Not available
Viscosity	Not available
Particle Characteristics	Not available

# **Section 10. Stability and Reactivity**

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	Hydrogen chloride
Conditions to Avoid	Strong oxidising agents
Incompatible Materials	Temperature extremes.
Hazardous Decomposition	None known.
Products	

# Section 11 Toxicological Information

# **Acute Effects:**

Swallowed	Not applicable. LD50 >5000mg/kg
Dermal	Not applicable. LD50: ≥ 5,000 mg/kg
Inhalation	Not applicable.
Eye	Causes serious eye irritation.
Skin	Not applicable.

#### **Chronic Effects:**

Carcinogenicity	Not applicable.
Reproductive Toxicity	Suspected of damaging fertility or the unborn child.
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	May be fatal if swallowed and enters airways.
STOT/SE	Not applicable.
STOT/RE	May cause damage to organs through prolonged or repeated
	exposure.

# Section 12. Ecotoxicological Information

<b>Ecological effects information</b>	Toxic to aquatic life with long lasting effects.	
	Hazardous to soil organisms.	
Persistence and degradability	No data available	
Bioaccumulation	No data available	
Mobility in Soil	No data available	
Other adverse effects	No data available	
Acute fish toxicity:	LC50 (96 h) for bluegill sunfish 2.4, rainbow trout 2.0	
	mg/l	
Toxicity for daphnia:	LC50 (48 h) 11 mg/l	
Toxicity to algae:	EC50 (96 h) for Scenedesmus subspicatus 2.4 mg/l	
Precautions:	Do not allow to enter waterways.	

# **Section 13. Disposal Considerations**

#### **Disposal Method:**

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



# **Empty container precautions:**

Avoid contamination of any water supply with chemical or empty container.

**Precautions or methods to avoid:** Avoid release to the environment.

# **Section 14** Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Product Name: Validus 200EW SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26 April 2023 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 5

#### Road, Rail, Sea and Air Transport

UN No	3082
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (Myclobutanil)
Marine Pollutant	Yes
Special Provisions-	If the product's individual container is below 5L, it can be
Limited Quantities	transported as a non-DG as long as the product packaging is still
	labelled as per DG requirements and the driver is given safety
	information in accordance with Chapter 3.4 of the UNRTDG.

### **Section 15** Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: HSR007666

HSW (HS) Regulations 2017	Trigger Quantity		
Certified Handlers	Not required		
Location Certificate	Not required		
Signage Trigger Quantities (Schedule 3)	1000L		
Emergency Response Plan (Schedule 5)	1000L		
Secondary Containment (Schedule 5)	1000L		
Tracking (Schedule 26)	Not required		
<b>HSNO Additional Controls (Restrictions of</b>	Refer to EPA www.epa.govt.nz for		
use)	controls document - HSR007666		
77A -	The substance must not be applied onto or		
	into water.		
ACVM Act and Regulations			
ACVM Approval No	P7520		
See <u>www.foodsafety.govt.nz</u> for registration			
controls			

### Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC50 Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC50 Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD50 Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL WES Upper Explosive Level Workplace Exposure Limit

#### References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made. Please contact Adria, if further information is required.

Issue Date: 26 April 2023 Review Date: 26 April 2028