

It is an offence to use this product on animals.

GENERAL INFORMATION: Ivento is a fungicide with activity against fungi from the class of Oomycetes, particularly against Phytophthora infestans of potatoes and Downy mildew of onions. It acts as a protectant and needs to be applied before the disease infection occurs.

Re-Entry Period: Do not allow entry into treated areas until the spray has dried, unless wearing complete long-sleeved cotton overalls and chemical resistant gloves.

DIRECTIONS FOR USE:

CROP	DISEASE	MAXIMUM RATE	CRITICAL COMMENTS
Potatoes	Late blight (<i>Phytophthora infestans</i>)	200ml/ha	Apply as a protectant spray. Do NOT wait for disease to appear. When conditions are conducive to disease development, apply consecutive sprays of Ivento at a minimum of 7-10 day intervals. Use the shorter interval when infection pressure is high. The total number of Ivento applications per treated crop must not exceed 6. When applying Ivento consecutively, apply a maximum of 3 consecutive sprays, and then switch to a fungicide from an alternative chemical group. Ensure thorough coverage of plants.
Onions	Downy mildew (<i>Peronospora destructor</i>)	200ml/ha + adjuvant	Apply as a protectant, preventative spray, before the appearance of disease when conditions for disease infection are conducive. When conditions are in favour of disease development, apply consecutive sprays of Ivento at a minimum of 7-10 day intervals. The total number of Ivento applications per treated crop must not exceed 6. When applying Ivento consecutively, apply a maximum of 3 consecutive sprays, and then switch to a fungicide from an alternative chemical group. Ensure thorough coverage of plants. Add an appropriate adjuvant.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIODS:

Potatoes: 7 days

Onions: 14 days

Do NOT graze or feed treated crops to animals.

RESISTANCE MANAGEMENT: Ivento must be applied according to the label directions. Some naturally occurring individual fungi resistant to the product and other similar fungicides (**GROUP 21 FUNGICIDE**) may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, **Adria NZ Limited** accepts no liability for any losses that may result from the failure of this product to control resistant fungi.



UN 3082. Class: 9, PGIII. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYAZOFAMID).

Do not carry this product on a passenger service vehicle.

WARNING
KEEP OUT OF REACH OF CHILDREN

Ivento®

Fungicide for the control of Late Blight in Potatoes and Downy mildew in Onions

Active Ingredient: Contains 400 g/litre cyazofamid in the form of a suspension concentrate.

GROUP 21 FUNGICIDE

Registered pursuant to the ACVM Act 1997 No. P9970
See www.foodsafety.govt.nz for registration conditions

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in an emergency only call:
0800 734 607 (24 hours).



Net Contents: 5 litres



READ THIS LABEL COMPLETELY BEFORE USE



Approved under the HSNO Act 1996, HSR101515.
See www.epa.govt.nz for controls.

Qualified Person/Contractor: Required.

WARNING: May cause an allergic skin reaction. Very toxic to aquatic life. Ivento shall not be applied directly onto, into or over surface water. A buffer zone of 4 metres is set when Ivento is applied downwind to adjacent water. Avoid contamination of any water supply with product or empty container.

SAFETY DIRECTIONS: Keep out of reach of children. Do not eat, drink or smoke while using. Avoid contact with eyes and skin and inhalation of spray mist. When mixing and applying, wear long-sleeved cotton overalls and gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash protective clothing. Contaminated clothing should not be allowed out of the workplace. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. A strategy to minimise spray drift and off-target exposure should be employed at all times when applying spray.

APPLICATION CONTROLS: The maximum application rate of this substance is 80g cyazofamid/ha (equating to 200 mL of Ivento/ha). This substance must not be applied to the same area more than six times per year, with a minimum seven day interval period between applications. Ivento can only be sprayed at high volume with coarse spray nozzles, using ground-based application methods only. This substance must not be applied within 4 m of a downwind water body. A water body includes modified water courses such as reservoirs, irrigation canals, water-supply races, canals for the supply of water for electricity generation or farm drainage canals, as well as natural water bodies.

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

Disposal of containers: Triple rinse container and add residue to spray tank.

Return clean, empty container to an AgRecovery Depot for disposal.

Avoid contamination of any water supply with chemical or empty container.



FIRST AID: If medical advice is needed, have product container or label at hand. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Eye contamination: If product or spray enters eyes, wash out immediately and continue rinsing with clean water for at least 15 minutes. Obtain medical attention.

Skin contact: After contact with skin or hair, wash immediately with soap and water.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill). Botrynil is an anilopyrimidine fungicide which is active against Botrytis cinerea in grapes.

Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Registered to and distributed by: Adria New Zealand Limited. P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.
Ph: 09 412 9817. www.adria.nz

