#### MIXING:

Pyromite mixes readily with water. Pour the required quantity of Pyromite into the partly filled spray tank and add the remainder of the water, agitating thoroughly during filling. Agitate after a stoppage before recommencing spraying.

#### EQUIPMENT:

Pyromite can be applied with conventional ground spraying equipment. Rinse with clean water after use.

#### COMPATIBILITY:

Pyromite is compatible with the commonly used intermediate oils, and wettable powder formulations of insecticides and fungicides. Do not mix with lime sulphur or strongly alkaline material such as Bordeaux mixture. Avoid applications under slow drying or frosty conditions.

#### RESISTANCE MANAGEMENT:

Pyromite is a **GROUP 21 INSECTICIDE** and is a member of the METI mode of action group. Resistance to this miticide could develop from excessive use. To minimise this risk use strictly in accordance with the label instructions and resistance management strategies that exist for any fungus listed on the label. Pyromite should be used in a programme that incorporates miticides with different modes of action to that of **GROUP 21 INSECTICIDES**. Refer to the NZPPS website (http://resistance.nzpps.org/) for more detailed information.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.

### WITHHOLDING PERIODS:

Pipfruit – 14 days. Avocados: 14 days

#### IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.

DIRECTIONS FOR USE: The rate indicated is for high volume spraying to run-off. For concentrate spraying, adjust dilution rate accordingly.

#### PIPFRUIT - European red mite and two-spotted mite:

Rate: Apply 50mL/100 L water as a high volume spray to run-off. Thorough and uniform spray coverage of all foliage is essential, and this will be assisted by the addition of a non-ionic wetting agent.

Timing: Make only one application of Pyromite per season either to coincide with the first generation summer egg hatch in the November-early December period, or during January.

Rainfall: Do not apply if rain is likely to fall within 3 hours following application.

#### AVOCADOS - Six-spotted mite:

Rate: Apply 75mL/100 L water as a high volume spray to run-off. Thorough and uniform spray coverage of all foliage is essential, and this will be assisted by the addition of a non-ionic wetting agent at label rates.

Timing: Make only one application of Pyromite per season in avocados, once mite thresholds have been reached.

Rainfall: Do not apply if rain is likely to fall within 3 hours following application.



UN 3082. Class: 9, Packaging group: III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fenpyroximate). Do not carry this product on a passenger service vehicle.



# **Pyromite**<sup>®</sup>

# A selective MITICIDE for the control of European Red Mite, Two-Spotted Mite on Pipfruit and Six-spotted Mite on Avocados.

Active Ingredient: contains 50g/litre fenpyroximate in the form of a suspension concentrate.



Registered pursuant to the ACVM Act 1997 No. P8032 See www.foodsafety.govt.nz for registration conditions

In a transport emergency dial 111, Police or Fire Brigade. For specialist advice in an emergency only call: 0800 734 607 (24 hours)



**Net Contents: 5 litres** 



#### READ LABEL BEFORE USE.

Approved under the HSNO Act 1996, HSR100268. See www.epa.govt.nz for controls.

Qualified Person/Contractor: Required.

WARNING: Harmful if inhaled. May be harmful if swallowed. Causes mild skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through single, prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects. Harmful to the soil environment. Harmful to terrestrial vertebrates.

SAFETY DIRECTIONS: Keep out of reach of children. Read label before use. Do not breathe fumes, vapours, or spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective clothing. Collect Spillage.

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

**DISPOSAL OF CONTAINER:** Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.

FIRST AID: If medical advice is needed, have product container or label at hand. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician.

**SPILLS:** Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

## Batch No. and Manufacturing Date: See on packaging

Registered to and Distributed by: Adria New Zealand Limited.

P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.

Ph: 09 412 9817. www.adria.nz

Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.



