General Information: Ormax is a fungicide with systemic and protectant activity for the control of Late blight (Phytophthora infestans) in potatoes.

Resistance Management: Ormax is a **GROUP 28 + 43 FUNGICIDE**, containing fluopicolide and propamocarb. Diseases resistant to this group of fungicides may develop if overused. To minimise the development of resistance, use strictly in accordance with label recommendations. Do not use more than 3 times per season.

Compatibility: Ormax is compatible with most fungicides and insecticides. However, the crop safety of all potential tank-mixes, including additives and other pesticides, has not been tested. Before applying any tank-mixture, safety to the target crop should be confirmed. To test for crop safety, apply the mixture to a small area of the target crop in accordance with the label instructions to make sure that a phytotoxic effect will not occur. Not compatible with strongly alkaline products.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.

Withholding Periods: Potatoes: 14 days

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.

Directions for use:

Mixing: Add the required amount of Ormax to a partly filled spray tank with the agitation system operating. Add partner products and complete filling with water. Maintain agitation until spraying is complete. Ensure thorough and even spray coverage throughout the crop.

CROP	DISEASE	RATE / Ha	REMARKS
Potatoes	Late Blight	1.2 – 1.6 litres in 250-500 litres of water per hectare.	Apply at 10-14 day intervals. Use the shorter interval when rapid growth and conditions are conducive to disease. For resistance management it is recommended that no more than 3 sprays be applied in one season.



UN3082. CLASS 9, PG III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE).

Do not carry this product on a passenger service vehicle.



Ormax®

Fungicide for the control of Late Blight in potatoes

Active Ingredient: contains 62.5 g/litre fluopicolide and 625 g/litre propamocarb as the hydrochloride in the form of a suspension concentrate.

GROUP 43 + 28 FUNGICIDE

Registered pursuant to the ACVM Act 1997 No. PO10257 See www.foodsafetv.govt.nz for registration conditions

In a transport emergency dial 111, Police or Fire Brigade. For specialist advice in an emergency only call: 0800 734 607 (24 hours).



Net Contents: 10 litres



READ THIS LABEL COMPLETELY BEFORE USE







Approved under the HSNO Act 1996, HSR101503. See www.epa.govt.nz for controls. **Qualified Person/Contractor:** Required.

May be corrosive to metals. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Hazardous to soil organisms. Hazardous to terrestrial vertebrates.

SAFETY DIRECTIONS: Keep out of reach of children. Read label before use. Do not handle until all safety precautions have been read and understood. Keep only in original packaging. Do not breathe dust, fumes, gas, mist, vapours or spray. Wash hands thoroughly after handling. Avoid release to the environment. Absorb spillage to prevent material damage. Wear protective gloves, clothing, and eye protection. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

APPLICATION CONTROLS: D0 NOT apply when wind speeds are less than 3 km/hr or more than 20 km/hr as measured at the application site. This substance must only be applied by ground-based application methods. The maximum application rate for this substance is 1.6 L/ha (equivalent to 0.1 kg fluopicolide/ha and 1 kg propamocarb hydrochloride/ha), with a maximum of 3 applications per calendar year and a minimum of 10 days between applications.

SPILLAGE: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to local Council regulations.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery

collection point for disposal. Any unused product should be used according to label directions.



FIRST AID: If medical advice is needed, have product container or label at hand. Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/ attention.

Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Registered to and Distributed by: Adria New Zealand Limited. P.O. Box 535, 407 State Highway 16 Kumeu, Auckland. Ph: 09 412 9817. www.adria.nz

Batch number and manufacturing date: See on packaging

