

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: Mitron 70WG

Product Use: Herbicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: Adria Crop Protection Solutions

Address: 407 State Highway 16

Kumeu 0841, Auckland

Telephone: +64 9 412 9817 Fax: +64 9 412 9807 Website: www.adria.nz

Emergency No: 0800 734 607 (24hr)

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 5th September 2025 v3

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: HSR008044

Pictograms





Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Acute oral toxicity Cat. 4	H302	Harmful if swallowed.
Acute inhalation toxicity Cat. 4	H332	Harmful if inhaled.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms.	H421	Hazardous to soil organisms
Hazardous to terrestrial vertebrates.	H433	Hazardous to terrestrial vertebrates

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing fumes, vapours or spray.

Product Name: Mitron 70WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 5 September 2025 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 1

P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Storage Code	Storage Statement
None Allocated	

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Content (%w/v)	CAS NUMBER.
Metamitron	70 %	41394-05-2
Non-hazardous ingredients	To bal	-

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse immediately with plenty of water. Obtain medical attention if pain,

blinking, tears or redness persist.

If on Skin Remove affected clothing and wash all exposed skin area with mild soap

and water, followed by warm water rinse. Seek medical attention if rash or

irritation develops.

If Swallowed If swallowed do NOT induce vomiting. For advice, contact the National

Poisons Centre on 0800 POISON (0800 764766) or a doctor immediately.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Harmful if swallowed.
Inhalation: Harmful if inhaled.
Skin: Not applicable.
Eye: Not applicable.
Chronic: Not applicable.

Treatment: Treat according to symptoms (decontamination, vital functions). No known

specific antidote.

Section 5. Fire Fighting Measures

Hazard Type	This product is not flammable.
Hazards from	None known.
combustion products	
Suitable	Dry chemical extinguisher, foam, carbon dioxide or waterspray (do
Extinguishing media	not use direct jet of water).
Recommended	Wear SCBA and chemical-protective clothing.
protective clothing &	
Precautions for	
firefighters	
HAZCHEM CODE	2Z

Section 6. Accidental Release Measures

Personal precautions:

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- · Avoid breathing fumes, vapours or spray.
- · Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Avoid release to the environment.
- Apply using accurately calibrated and maintained equipment in accordance with the NZ Standard for the Management of Agrichemicals (NZS8409).
- Spray equipment should be thoroughly cleaned after use.

Precautions for Storage:

- Keep away from children.
- Keep container tightly closed.
- Keep away from temperature extremes and protect from sunlight.
- Store away from incompatible materials listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredient has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the

short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices FEB 2025 15TH EDITION.

Engineering Controls / Industrial Hygiene

Provide local exhaust or general room ventilation to minimize dust and/or vapour concentrations.

Re Entry:

A minimum re-entry interval in apples for this substance is set at 28 days after the end of the application of the substance. The person in charge of the application area must ensure that no person works in contact with the trees treated with the substance until the end of the 28 day re-entry interval. Despite the point immediately above, this re-entry interval may be reduced to 22 days after the end of the application if gloves are worn by workers intending to be in contact with the treated trees...

Personal Protection Equipment



Eyes	Safety goggles with side-shields.
Skin	Suitable chemical resistant safety gloves (e.g. nitrile rubber (.4mm)). Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.
Respiratory	Respirator (organic vapour and particulate matter) should be used if airborne particles are generated when handling this material.
General	Keep away from food, drink and animal feedstuffs. No eating, drinking or smoking during use. Wash hands and face before breaks and after work.

Section 9 Physical and Chemical Properties

Appearance	Solid Granules
Colour	Off-white
Odour	Faint odour
Odour Threshold	Not available
pH	3.5-4.5 (10% in water)
Melting Point/Boiling Point	150°C
Freezing Point	Not available
Flash Point	>46°C
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	0.86 μPa @ 20°C (metamitron)
Vapour Density	Not available
Density	Not available
Water Solubility	Dispersible
Octanol/water partition	Log = 0.85 @ 21°C (metamitron)
coefficient:	
Auto Ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	None known.
Conditions to Avoid	None known.
Incompatible Materials	Oxidising agents, acids and alkali.
Hazardous Decomposition	Thermal decomposition at 170° C (metamitron).
Products	

Section 11 Toxicological Information

Acute Effects:

Swallowed	Harmful if swallowed. LD50 (rat-male) = 2,950 mg/kg
Dermal	Not applicable. LD50 (rat) > 5,000 mg/kg
Inhalation	Harmful if inhaled. LD50 (rat) > 1.418 mg/L (4 hrs) (max.
	attainable concentration)
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive Toxicity	Not applicable.	
Germ Cell Mutagenicity	Not applicable.	
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	Not applicable.	

Section 12. Ecotoxicological Information

Ecological effects information	Very toxic to aquatic life with long lasting effects.	
	Hazardous to soil organisms.	
	Hazardous to terrestrial vertebrates.	
Persistence and degradability	No data available	
Bioaccumulation	No data available	
Mobility in Soil	No data available	
Other adverse effects	No data available	
Acute fish toxicity:	LC50 (96 hours) = 443 mg/L; golden orfe (Leuciscus	
	melanotus)	
	LC50 (96 hours) = 326 mg/L; rainbow trout	
	(oncorphynchus mykiss)	
	LC50 (96 hours) = 194 mg/L; carp (Cyprinus carpio)	
Toxicity for daphnia:	EC50 (48 hours) = 206 mg/L; Water flea (Daphnia	
	magna)	
Toxicity to algae:	IC50 (72 hours) = 4.5 mg/L; green alga (Selenastrum	
	capriconutum)	
Soil:	Half-life time (t½): 30-90 days. Degradation is primarily	
	via: microorganisms.	
Precautions:	Do not allow to enter waterways.	

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Precautions or methods to avoid: Avoid release to the environment.

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Road, Rail, Sea and Air Transport

UN No	3077	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,	
	N.O.S. (Metamitron)	
Marine Pollutant	Yes	
Special Provisions-	If the product's individual container is below 5L, it can be	
Limited Quantities	transported as a non-DG as long as the product packaging is still	
	labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: HSR008044

HSW (HS) Regulations 2017	Trigger Quantity	
Certified Handlers	Not required	
Location Certificate	Not required	
Signage Trigger Quantities (Schedule 3)	100kg	
Emergency Response Plan (Schedule 5)	100kg	
Secondary Containment (Schedule 5)	100kg	
Tracking (Schedule 26)	Not required	
HSNO Additional Controls	Refer to EPA www.epa.govt.nz for controls	
(Restrictions of use)	document - HSR008044	
77A	This substance must not be applied onto or into	
	water.	
ACVM Act and Regulations		
ACVM Approval No	P7843	
See <u>www.foodsafety.govt.nz</u> for		
registration controls		

Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC50 Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

2. Workplace Exposure Standards and Biological Exposure Indices FEB 2025 15th edition.

3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).

4. Transport of Dangerous goods on land NZS 5433:2020

5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 5 September 2025 Review Date: 5 September 2030