

**IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.**

**DIRECTIONS FOR USE:**

CROP	DISEASE	RATE	REMARKS
Wheat	Stripe rust Leaf rust Speckled leaf blotch Tan spot	700-1000ml/ha	Apply at first appearance of disease. Should disease pressure persist or re-infection occur, another application may be required 3-4 weeks later. Use the higher rate when disease pressure is high.
Barley	Scald Net blotch Ramularia leaf spot Leaf rust	700-1000ml/ha	Apply on first appearance of disease. Should disease pressure persist or re-infection occur, another application may be required 3-4 weeks later. Use the higher rate when disease pressure is high.
Triticale	Stripe rust Leaf rust	700-1000ml/ha	Apply on first appearance of disease. Should disease pressure persist or re-infection occur, another application may be required 3-4 weeks later. Use the higher rate when disease pressure is high.

**Concero must only be applied via ground-based methods.**

Apply Concero in at least 120 litres of water per hectare by ground application. Use high water volumes in dense or advanced crops especially under dry weather conditions.

**Mixing:** Add the required amount directly into partly filled spray tank with agitation operating. Complete filling and maintain agitation until spraying is complete.


**Compatibility:** Concero is compatible with commonly used fungicides and insecticides. Seek advice if mixing with herbicides and/or plant growth regulators.

**IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.**

**Withholding Periods:**

Barley, wheat and triticale (grain): 56 days  
Wheat, barley, triticale (forage) – 42 days

**Resistance Management:** Concero contains bixafen from the SDHI (Succinate DeHydrogenase Inhibitor) mode of action (Group 7) and prothioconazole from the DMI (DeMethylation Inhibitor) mode of action (Group 3). Resistance to this fungicide and related products could develop in some disease situations from repeated use. To minimize this risk use a maximum of 2 applications per season. Make no more than 2 applications using fungicides from the SDHI group and no more than 3 applications, including seed treatment, from the DMI group.



**UN3082. CLASS 9, PG III. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE + BIXAFEN).**  
Do not carry this product on a passenger service vehicle.

**WARNING**  
KEEP OUT OF REACH OF CHILDREN

# Concero®

**Systemic fungicide  
for the control of diseases in cereals**

Active Ingredients: Contains 150g/litre prothioconazole  
+ 75g/litre bixafen in the form of an emulsifiable concentrate.

**GROUP 3 + 7 FUNGICIDE**

Registered pursuant to the ACVM Act 1997 No. P10429  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

In a transport emergency dial 111, Police or Fire Brigade.

For specialist advice in an emergency only call:  
**0800 734 607 (24 hours).**



**Net Contents: 10 litres**



**READ THIS LABEL COMPLETELY BEFORE USE**



EPA Approval code: HSR101566. See [www.epa.govt.nz](http://www.epa.govt.nz) for controls.

**Qualified Person/Contractor:** Required.

**WARNING:** Causes serious eye irritation. Causes skin irritation. May cause damage to organs through single, prolonged or repeated exposure. Toxic to aquatic life with long lasting effects. Harmful to terrestrial vertebrates.  
**PRECAUTIONS:** Keep out of reach of children. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Respiratory protection should also be used. Do not eat, drink or smoke when using this product. Remove protective clothing and wash before reuse. Wash hands and face thoroughly before meals and after work. Avoid contact with skin or eyes. Do not breathe fumes, mist, vapours or spray.  
Apply with well maintained and calibrated spray equipment. Records of use must be kept.  
Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409.  
**STORAGE:** Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.  
**APPLICATION CONTROLS:** This substance must be applied using ground-based methods only.  
This substance must be applied with a nozzle set to provide medium or larger sized droplets. The maximum application rate for Concero is 1L/ha (equivalent to 75g bixafen/ha and 150g prothioconazole/ha), with a maximum frequency of two applications per year and a minimum interval period of 21 days between applications.  
**DO NOT** apply when wind speeds are less than 3 km/hr or more than 20 km/hr as measured at the application site. Equipment: Spraying equipment must be calibrated to deliver medium or larger droplets as defined by the American Society of Agricultural and Biological Engineers ASABE Standard (S572) or the British Crop Production Council guideline.  
Must not be applied onto or into water. Avoid contamination of any water supply with chemical or empty container. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments.  
**CONTAINER DISPOSAL:** Triple rinse container and add residue to spray tank.  
Return empty container to an AgRecovery collection point for disposal.



**FIRST AID:** If medical advice is needed, have product container or label at hand. Call a POISON CENTER or doctor/physician if you feel unwell.  
**IF SWALLOWED:** Immediately call a POISON CENTER or doctor/physician. Rinse mouth. **IF ON SKIN:** Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.  
**SPILLS:** Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to local Council regulations.  
**Notice to Buyer:** Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.  
**Registered to and Distributed by:** Adria New Zealand Limited.  
P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.  
Ph: 09 412 9817. [www.adria.nz](http://www.adria.nz)  
**Batch number and manufacturing date:** See on packaging

