

General Information: Beetaway herbicide acts through the foliage of seedling broadleaved weeds to give selective weed control in fodder, sugar and red beet crops. This product should be used strictly in accordance with label recommendations.

Susceptible Weeds Include: Seedling stages of chickweed, fathen, fumitory, groundsel, redroot, shepherd's purse, spurrey, nettle and twin cress.

Black nightshade, cornbind and willow weed are controlled only if treated up to the four true leaf stage.

RESISTANT WEEDS WARNING: Beetaway contains the **GROUP 5 HERBICIDES**, phenmedipham and desmedipham, and continuous use of herbicides in this group may lead to a build-up of weeds resistant to it. To prevent or delay resistance, alternate with a herbicide from another group if possible and adhere to label instructions. For more information, go to: <http://resistance.nzpps.org/>

Resistant Weeds Include: Grass weeds, mature annual broadleaf weeds, perennial broadleaf weeds and wireweed.

Directions for Use: Beetaway does not require the addition of surfactants. Ensure spray equipment is thoroughly cleaned before use. Do not apply in more than 300 litres of water per hectare.

Mixing: Partly fill the spray tank and add the required amount of Beetaway herbicide with agitation system operating. Add the remaining water and any mixing partners. Maintain agitation until spraying is complete. Do not allow spray mixture to stand overnight. Flush equipment with clean water after use. Beetaway herbicide may be broadcast or band treated. For band treatment ensure that the use rate per sprayed area is consistent with label recommendations.

Recommendations for Use:


CROP	TIMING	RATE	REMARKS
Red beet	After the crop has 2 true leaves fully developed		Damage may occur especially on Red beet if treated prior to 2 true leaf stage.
	Weeds up to 4 true leaf	3 litres/ha in 200 litres of water	Best results are obtained when weeds are treated at the youngest possible stage.
	Weeds from 4-6 true leaves and hard to kill weeds up to 4 true leaves.	4.5 litres/ha in 200 litres of water.	
Fodder beet, Sugar beet	Apply after the crop has 2 true leaves fully developed.	1.5 litres/ha in 200-300 litres of water.	Best results are obtained by applying Beetaway following a pre-emergence application of Ethosin 500SC. Make the first application of Beetaway in mixture with Ethosin 500SC at 2 litres/ha when weeds are from cotyledon to 2 true leaf stage and a second application 10-14 days later.

NOTE: DO NOT MIX BEETAWAY WITH ANY FOLIAR NUTRIENTS OR SURFACTANTS.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.

Withholding Period: Fodder beet, Sugar beet – 56 days. Do not graze stock on treated areas for 56 days after spraying.

Additional Information: Do not apply if air temperature is likely to rise above 29°C, and avoid treatment if rain is likely before spray has dried on the foliage. Herbicide activity will be slowed down in cool weather.

	<p>UN 3082. Class: 9, PGIII. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (160g/l Desmedipham + 160g/l Phenmedipham Solution). Do not carry this product on a passenger service vehicle.</p>
---	--

WARNING
KEEP OUT OF REACH OF CHILDREN

Beetaway®

A selective herbicide for the control of broad-leaved weeds in fodder, sugar and red beets.

Active Ingredients: Contains 160 g/litre phenmedipham and 160 g/litre desmedipham in the form of an emulsifiable concentrate.

GROUP 5 HERBICIDE

Registered pursuant to the ACVM Act 1997 No. P10443
See www.foodsafety.govt.nz for registration conditions

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in an emergency only call:
0800 734 607 (24 hours).



Net Contents: 10 litres



READ LABEL BEFORE USE



Qualified Person/Contractor : Required
EPA Approval Code: HSR101628. See www.epa.govt.nz for controls.

WARNING: Combustible liquid. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. May cause respiratory irritation. Very toxic to aquatic life with long lasting effects. Very toxic to the soil environment.

SAFETY DIRECTIONS: Keep out of reach of children. Read label before use. Keep away from heat, sparks, open flames or hot surfaces. No smoking. Do not breathe fumes, vapours or spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective clothing. Collect Spillage. In case of fire: Use water spray for extinction. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

APPLICATION CONTROLS: This substance must be applied by ground-based methods only. DO NOT apply when wind speeds are less than 3 km/h or more than 20 km/h as measure at the application site. The maximum application rate for this substance is 4.5 L Beetaway/ha (equivalent to 0.72 kg phenmedipham/ha and 0.72 kg desmedipham/ha), with a maximum of two applications per year and a minimum of 10 days between applications.

STORAGE: Store locked up in the original, unopened container in a cool, dry, well-ventilated place, out of direct sunlight and away from stockfeed or foodstuffs. Keep container tightly closed. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



FIRST AID: If medical advice is needed, have product container or label at hand. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Get medical advice/attention if you feel unwell. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Batch number and manufacturing date: See on packaging

Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Registered to and Distributed by: Adria New Zealand Ltd. 407 State Highway 16, Kumeu, Auckland.

Ph: 09 412 9817.
www.adria.nz

