

PRODUCT INFORMATION

Alliacine 40EC is mainly a soil acting residual herbicide with generally weak contact action. It is taken up by the emerging shoot and roots of weeds and affects the growing point of certain plants post-emergence. Its mode of action is disruption of cell division, transpiration and respiration and also protein synthesis. Rain or irrigation is required within a week of application for residual control of weeds.

WEEDS CONTROLLED (Seedlings only):

Black nightshade,	Chickweed,	Docks,	Fathen,
Foxtail,	Fumitory,	Paspalum,	Annual poa,
Italian ryegrass,	Speedwells,	Spurrey,	Willow weed

IT IS AN OFFENCE for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

DIRECTIONS FOR USE

Mixing: Half fill the spray tank with water and, with agitator running, add Alliacine 40EC and continue filling the tank. If tank mixing with other products, follow mixing instructions on the other labels.

Application: Apply to a firm, moist seed bed in 200-400 litres of water per hectare.

RECOMMENDATIONS

Carrots, leeks, parsnips – Pre-emergence: use 6-8 litres/ha immediately after sowing.

Lettuce – Pre-emergence: apply 3-8 litres at time of drilling.

Pre-transplanting: cultivate the soil into a firm seed bed and apply 6-11 litres per hectare prior to transplanting. Do not cultivate soil after application. Transplanting should be done to keep soil disturbance to a minimum and treated soil should not be incorporated into the root zone of the lettuce plants.

Onions - Post-emergence: Apply 1-2 litres per hectare at the flag stage of the onion.

NOTES

- Best results will be obtained if application is followed by 15mm of rain or irrigation.
- Use the lower rates on silty or sandy soils.
- Excessive rainfall may wash the product too deeply into the soil and retard crop growth, particularly on light or sandy soils.
- Use the higher rate on clay loams and peat soils.

WARNING
KEEP OUT OF REACH OF CHILDREN

ALLIACINE® 40EC

Herbicide

Herbicide for use post-emergence in onions, pre- and post-emergence in lettuce and pre-emergence in carrots, leeks and parsnips.

Active Ingredient: contains 400 g/litre chlorpropham in the form of an emulsifiable concentrate. Also contains 420g/litre hydrocarbon liquids.

GROUP K2 HERBICIDE

Registered pursuant to the ACVM Act 1997 No. P5579.
See www.foodsafety.govt.nz for registration conditions
EPA Approval Code: HSR000823
HSNO Classifications: 3.1C, 6.1E, 6.3B, 6.4A, 6.9B, 9.1B, 9.2A

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in a First Aid emergency only call National Poisons Centre on 0800 764 766.



Net Contents: 10 litres 9 421903 419262 >

WARNING: This material may be harmful if swallowed, inhaled, or absorbed through the skin. May cause internal organ damage from repeated oral exposure at high doses. Avoid skin contact or inhalation. May cause skin irritation. Avoid skin contact. May cause eye irritation. Avoid contact with eyes. Wash hands and exposed skin before meals and after work.

PRECAUTIONS: When mixing or applying, wear protective clothing, neoprene or PVC gloves and goggles. Avoid contact with skin and eyes and avoid breathing spray mist. Wash hands and face before meals and after work. Wash protective clothing after work. Do not eat, drink or smoke while using. Avoid contamination of any water supply with chemical or empty container.

FLAMMABLE LIQUID: In case of fire use dry chemical powder, water spray or fog to extinguish.

TOXIC TO AQUATIC ORGANISMS WITH LONG-LASTING EFFECTS. Avoid contamination of any water supply with product or empty container.

VERY TOXIC TO EARTHWORMS

BEWARE: APPLY THIS PRODUCT CAREFULLY. SPRAY DRIFT MAY CAUSE SERIOUS DAMAGE TO OTHER DESIRABLE PLANTS.

DISPOSAL OF CONTAINERS: Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



FIRST AID:

If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766) or a doctor immediately.

Eye contamination: If product or spray enters eyes, wash out immediately and continue rinsing with clean water for at least 15 minutes. Obtain medical attention.

Skin contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

SPILLAGES: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

Registered and distributed by:

Adria New Zealand Ltd. 407 S.H.16,
P.O. Box 535 Kumeu, Auckland, New Zealand.
Phone: 09 412 9817. Fax: 09 412 9807.



Manufactured by: Arysta LifeScience Benelux sprl, Rue de Renoy 26/1, B-4102 Ougree, Belgium.



Batch number and manufacturing date: See on packaging.

Notice to Buyer

Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Alliacine® is a registered trade mark Arysta LifeScience Benelux sprl.

Job:275151

YOUR PROOF

Name:02 Alliacine 40EC 10L Label

Client: Arysta LifeScience

Date:22-05-2017

CHECK A PANTONE BOOK FOR TRUE COLOUR REPRESENTATION

OK to proceed

Further proof required

sign: _____ date: _____

No responsibility is taken for errors not noted on this proof

EXAMINE THIS ART VERY CAREFULLY AND RETURN THE SIGNED PROOF TO US FOR THE JOB TO PROCEED

PHILSTIC® Philstic Labels Limited
Email: prepress@philstic.co.nz
Phone: +64 9 970 1430
Fax: +64 9 630 0957

DIELINE

Yellow

Cyan

Magenta

PANTONE 357 C

Black

160mm deep

05/17/F

520mm wide