

SAFETY DATA SHEET

According to
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: **Beetup Compact**
 Product Use: Herbicide
 Restriction of Use: Refer to Section 15

New Zealand Supplier: **Adria Crop Protection Solutions**
 Address: 407 State Highway 16
 Kumeu 0841,
 Auckland

Telephone: +64 9 412 9817
 Fax: +64 9 412 9807
 Website: www.adria.nz

Emergency No: 0800 734 607 (24hr)3
0800 764 766 (National Poison Centre)

Date of SDS Preparation: 17 October 2018

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No: HSR000825

Pictograms:



Toxic/Irritant



Chronic



Ecotoxic

Signal Word: **Warning**

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
3.1D	H227	Combustible liquid.	Flam. Liq. 4
6.1D (oral)	H302	Harmful if swallowed.	Acute Tox. 4
6.1D (dermal)	H312	Harmful in contact with skin.	Acute Tox. 4
6.1D (inh)	H332	Harmful if inhaled.	Acute Tox. 4
6.3B	H316	Causes mild skin irritation.	Skin Irrit. 3
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
6.5B	H317	May cause an allergic skin reaction.	Skin Sens. 1
6.9B	H373	May cause damage to organs through prolonged or repeated exposure.	STOT RE 2

9.1A	H410	Very toxic to aquatic life with long lasting effects.	Aquatic Chronic 1
9.2A	H421	Very toxic to the soil environment.	
9.3C	H433	Harmful to terrestrial vertebrates.	

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, sparks, open flames or hot surfaces. No smoking.
P260	Do not breathe fumes, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P370 + P378	In case of fire: Use water spray for extinction.

Storage Code	Storage Statement
P403 + P235	Store in a well-ventilated place. Keep cool.

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Content (%w/v)	CAS NUMBER.
Alkyl Napthalene Sulfonic Acid-Formaldehyde Condensate Sodium Salt	1-10	141959-43-5
Phenmedipham (ISO)	1-10	13684-63-4
Desmedipham	1-10	13684-56-5
Alcohol Ethoxylate #2	1-10	Proprietary
Isopropylamine Alkyl Benzene Sulphonate	1-10	68584-24-7
Non-hazardous	To bal	

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on Skin	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
If Swallowed	Rinse mouth. If swallowed do NOT induce vomiting. Never give anything to an unconscious person. IF SWALLOWED: Call a POISON CENTER or doctor/physician.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Harmful if swallowed.**Inhalation:** Harmful if inhaled.**Skin:** Harmful if in contact with skin. Causes mild skin irritation. May cause an allergic skin reaction.**Eye:** Causes serious eye irritation.**Chronic:** May cause damage to organs through repeated or prolonged exposure.**Section 5. Fire Fighting Measures**

Hazard Type	This product is combustible. Keep away from sources of ignition. No naked lights. No smoking.
Hazards from products	Harmful. In combustion emits toxic fumes.
Suitable Extinguishing media	Water spray. Water fog.
Recommended protective clothing & Precautions for firefighters	Wear SCBA and chemical-protective clothing.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures**Personal precautions:**

Wear PPE as detailed in Section 8. Evacuate all unnecessary personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Absorb into dry earth or sand. Wash the spillage site with large amounts of water. Place in waste containers. Dispose of waste safely, according to Local Council regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Keep away from heat, sparks, open flames or hot surfaces. No smoking.
- Do not breathe fumes, vapours or spray.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Contaminated work clothing should not be allowed out of the workplace.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store securely out of reach of children.
- Store in original container tightly closed, locked, cool, dry, ventilated area away from foodstuffs, fertilisers and seeds.
- Protect from extreme temperatures.
- Stores containing more than 100L of product require emergency response plans and secondary containment systems and are subject to signage.
- Refer to the current standard NZS8409 Management of Agrichemicals.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls / Industrial Hygiene

Provide local exhaust or general room ventilation to minimize dust and/or vapour concentrations.

Personal Protection Equipment



Eyes	Chemical goggles or face shield with safety glasses.
Hands	Wear suitable gloves resistant to chemical penetration e.g. nitrile rubber gloves with a minimum thickness of 0.4 mm.
Skin	Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.
Respiratory	Wear respiratory protection if ventilation is inadequate. Use particle filter with medium efficiency for solid and liquid particles.
General	Keep away from food, drink and animal feedstuffs. No eating, drinking or smoking during use. Wash hands and face before breaks and after work.

Section 9**Physical and Chemical Properties**

Appearance	Liquid
Colour	Cream
Odour	Characteristic Odour
Odour Threshold	Not available
pH	6.5 – 7.5
Melting/Boiling Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Density	1.00 – 1.03
Water Solubility	Not available
Log P Octanol / water at 20°C	Not available
Ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	380cPs (20°C)
Particle Characteristics	Not available
Surface tension	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.
Conditions to Avoid	Heat, flames, and hot surfaces.
Incompatible Materials	Strong oxidising agents.
Hazardous Decomposition Products	None known.

Section 11**Toxicological Information****Acute Effects:**

Swallowed	Harmful if swallowed. LD50 = > 2,500 mg/kg (rat)
Dermal	Harmful if in contact with skin. LD50 = >4000 mg/kg
Inhalation	Harmful if inhaled.
Eye	Causes serious eye damage.
Skin	Causes mild skin irritation. May cause and allergic skin reaction.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May causes damage to organs through prolonged or repeated exposure.

Section 12. Ecotoxicological Information

Ecological effects information	9.1A = Very toxic to aquatic life with long lasting effects. 9.2A = Very toxic to the soil environment. 9.3C = Harmful to terrestrial vertebrates.
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available
Acute fish toxicity:	96H LC50 13.53 mg/l
Toxicity for daphnia:	48H EC50 5.4 mg/l
Toxicity to algae:	EbC50 72 Hr 0.59 mg/l
Precautions:	Do not allow to enter waterways.

Individual component information (Please refer to www.epa.govt.co.nz for full details):

Phenmedipham (Cas No 13684-63-4):

Route	Species	Duration	Value LC50/EC50
Acute aquatic, fish	Rainbow trout	96 hr	1.71 mg/L
Chronic aquatic, fish	Rainbow trout	21 days	0.32 mg/L
Acute aquatic, Crustacean	Daphnia magna	48 hr	0.41 mg/L
Chronic aquatic, Crustacean	Daphnia magna	21 day	0.025 mg/l
Algal	Selenastrum capricornutum	72 hrs	0.192 mg/l
Harmful to terrestrial vertebrates	Rabbit	-	LD50 = 1000 mg/kg
Bioaccumulative	No		
Rapidly Degradable	No		

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty to container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ ; NZS 5433:2012



Road, Rail, Sea and Air Transport

UN No	3082
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (80g/l Desmedipham + 80g/l Phenmedipham Solution)
Marine Pollutant	Yes

Special Provisions-Limited Quantities	If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.
--	--

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: HSR000825

HSNO Classification: 3.1D, 6.1D (oral, dermal, inhalation), 6.3B, 6.4A, 6.5B, 6.9B, 9.1A, 9.2A, 9.3C

HSW (HS) Regulations 2017	Trigger Quantity
Certified Handlers	Not required
Location Certificate	Not required
Signage Trigger Quantities (Schedule 3)	100L (9.1A)
Fire Extinguishers (Schedule 4)	500L – 2 extinguishers
Emergency Response Plan (Schedule 5)	100L (9.1A)
Secondary Containment (Schedule 5)	100L (9.1A)
Tracking (Schedule 26)	Not required
For all further controls	Refer to EPA www.epa.govt.nz for controls document - HSR000825
HSNO Additional Controls (Restrictions of use)	
77A	The substance must not be applied onto or into water.
Hazardous Property Controls Notice 2017	
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be appropriate
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides and plant growth regulators
HPC Notice Part 3	Hazardous substances in a place other than a workplace.
HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances
HPC Notice Part 4 Subpart C	Qualifications required for application of class 9 pesticides.
ACVM Act and Regulations	
ACVM Approval No See www.foodsafety.govt.nz for registration controls	P5493

Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 17 October 2018 Review Date: 17 October 2023