

WARNING
Keep out of reach of children

Curator

For the control of certain diseases in ornamentals, mushrooms and stonefruit.

Active Ingredient: Contains 462g/kg prochloraz as the manganese complex in the form of a wettable powder.

GROUP

3

FUNGICIDE

Registered pursuant to the ACVM Act 1997 No. P7738
See www.foodsafety.govt.nz for registration conditions
HSNO Classifications: 6.1D, 6.3A, 8.3A, 6.9B, 9.1A, 9.3C

This product must be under the care of an approved handler during use.

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in a First Aid emergency only call:
National Poisons Centre on 0800 764 766.



Net Contents: 1 Kg

READ THIS LABEL COMPLETELY BEFORE USE

WARNING: This material may be harmful if swallowed, inhaled or absorbed through the skin. Store in original container, secured, and away from foodstuffs. May cause skin irritation - avoid skin contact. This product is corrosive and may cause severe eye damage. May cause internal organ damage from repeated oral exposure at high doses.

PRECAUTIONS: Keep out of reach of children. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Do not eat, drink or smoke while using. Avoid contact with skin or eyes and inhalation of spray mist. Wash hands and exposed skin after use and before meals. When mixing or applying wear waterproof gloves. Curator shall not be applied onto or into water.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Burn, if circumstances, especially wind direction permit, otherwise bury in landfill.

HARMFUL TO TERRESTRIAL VERTEBRATES. ECOTOXIC - VERY TOXIC TO AQUATIC ORGANISMS. Avoid contamination of any water supply with chemical or empty container. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments.

FIRST AID: If swallowed do **NOT** induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766) or a doctor immediately.

Eye contamination: If product or spray enters eyes, wash out immediately and continue rinsing with clean water for at least 15 minutes. Obtain medical attention.

Skin contact: After contact with skin, wash immediately with soap and water.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to local Council regulations.

Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Registered to and Distributed by:

Adria New Zealand Limited. P.O. Box 535, 407 State Highway 16 Kumeu, Auckland.
Ph: 09 412 9817. Fax: 09 412 9807. www.adriacp.co.nz



Batch number and manufacturing date: See on packaging

GENERAL INFORMATION

Curator is a DMI fungicide which may be applied as a spray treatment to ornamentals and stonefruit, as a dip treatment to ornamentals, and a drench treatment in mushrooms.

Resistance Management: Curator is a **GROUP 3 FUNGICIDE** with the Demethylation Inhibitor (DMI) mode of action. Resistance to this and other DMI products could develop from repeated use. To minimise this risk use strictly in accordance with label instructions and alternate with fungicides from alternate chemical groups.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE NEW ZEALAND (MAXIMUM RESIDUE LIMITS OF AGRICULTURAL COMPOUNDS) FOOD STANDARDS. IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.

DIRECTIONS FOR USE: The method of application shall be limited to ground based application only.

Mixing: Thoroughly pre-mix the required amount with a little water to form a slurry. Add water whilst agitating. For spray treatments maintain agitation while mixing and applying. Also agitate thoroughly after a stoppage, before recommencing spraying. Use immediately after mixing.

COMPATIBILITY: Curator is compatible with most commonly used insecticides and fungicides. DO NOT use with alkaline materials such as lime sulphur or Bordeaux mixture.

Recommendations: Rates suggested are for high volume spraying to run-off. For concentrate spraying, adjust dilution rate accordingly.

CROP	DISEASE	RATE	REMARKS
Mushrooms	Brown spot (<i>Verticillium spp.</i>)	3g/square metre in 1 litre of water as a drench treatment.	Apply 7-9 days after casing. Do not apply within 10 days of picking. Apply a maximum of 3 applications per season.
Ornamentals	<i>Colletotrichum spp.</i> , Glomerella leaf spot, <i>Monochaetia spp.</i> , <i>Pestalotia spp.</i> , Powdery mildew	100g/100 litres in sufficient water to obtain thorough spray coverage.	Apply at first signs of infection and repeat at 14 day intervals.
		100g/100 litres as a dip.	Immerse whole plants in dip treatment prior to shipping. Apply a maximum of 3 applications per season.
Stonefruit	Brown rot	25g/100 litres	Apply at pink and repeat at 7-10 day intervals until petal fall. Shorter intervals may be required in wet weather. Use in mixture with non-DMI fungicides and apply no more than three treatments per season. Apply a maximum of 3 applications per season.

WITHHOLDING PERIODS:

Mushrooms: 10 days

Stonefruit: Do not use after petal fall