



Evito®

For the control of powdery mildew on apples, field grown pumpkins and winter squash.

<u>Active Ingredient:</u>	250g/litre bupirimate
<u>Chemical Group:</u>	Pyrimidine
<u>Formulation:</u>	Oil-in-water emulsion (EW)
<u>Pack Size:</u>	5 Litre

Evito® is an effective fungicide for the control of primary and secondary powdery mildew on apples, field grown pumpkins and winter squash. Evito has contact, translaminar and vapour phase modes of action, all of which contribute to its eradicant and protectant properties. Evito is specific in its action against powdery mildews.



Evito® is an essential component in any Powdery mildew programme.

- Protectant and eradicant activity ✓
- Unique mode of action ✓
- Easy-to-use liquid formulation ✓

GENERAL INFORMATION:

Evito is an effective fungicide for the control of primary and secondary powdery mildew on apples, field grown pumpkins and winter squash. Evito has contact, translaminar and vapour phase modes of action, all of which contribute to its eradicant and protectant properties. Evito is specific in its action against powdery mildews.

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.**DIRECTIONS FOR USE:**

Crop	Disease	Remarks
Apples – all varieties	Powdery mildew	Use 40-50mL/100 litres of water as a dilute spray or adjust accordingly for concentrate spraying. Use the higher rate when powdery mildew infection is moderate to high. Commence at tight cluster and continue at 10-14 day intervals until new leaf growth ceases. Use the closer interval during rainy weather or during severe powdery mildew infection periods.
Field grown pumpkins and winter squash	Powdery mildew	Use 800mL – 1 litre at 10 to 14 day intervals. Use the higher rate and/or closer interval during periods of intense disease pressure. Use as a preventative application and ensure uniform coverage. Do not apply more than three applications in one season.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE NEW ZEALAND (MAXIMUM RESIDUE LIMITS OF AGRICULTURAL COMPOUNDS) FOOD STANDARDS.

Withholding period: Apples, field grown pumpkins and winter squash – 14 days. For apples grown for export consult your exporter for withholding period information.

Application: May be applied through all conventional orchard and boom spraying equipment. Maintain agitation during mixing and spray application.

Compatibility: Evito may be tankmixed with most commonly used insecticides, fungicides and calcium nitrate. Do not mix with very alkaline materials.

Rainfall: Rain within 6 hours following application may reduce effectiveness.

IPM: Evito is compatible with integrated pest management programmes based on natural predators and parasites.