

# SAFETY DATA SHEET

According to  
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

## Section 1. Identification of the material and the supplier

Product: **Fenox 240 EC**  
 Product Use: Herbicide  
 Restriction of Use: Refer to Section 15

New Zealand Supplier: **Adria Crop Protection Solutions**  
 Address: 407 State Highway 16  
 Kumeu 0841,  
 Auckland

Telephone: +64 9 412 9817  
 Fax: +64 9 412 9807  
 Website: www.adria.nz

**Emergency No: 0800 734 607 (24hr)3  
 0800 764 766 (National Poison Centre)**

Date of SDS Preparation: 22 August 2018

## Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

**EPA Approval No: HSR000545**

### Pictograms



Signal Word: **Warning**

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
3.1D	H227	Combustible liquid.	Flam. Liq. 4
6.1E (oral)	H303	May be harmful if swallowed.	Acute Tox. 5
6.3A	H315	Causes skin irritation.	Skin Irrit. 2
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
6.8B	H361	Suspected of damaging fertility or the unborn child.	Repr. 2
6.9B	H373	May cause damage to organs through prolonged or repeated exposure.	STOT RE 2
9.1A	H400/H410	Very toxic to aquatic life.	Aquatic Acute 1
9.2A	H421	Very toxic to the soil environment.	

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames or hot surfaces. No smoking.
P260	Do not breathe fumes, vapours or spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.
P281	Use personal protective equipment as required.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P362	Take off contaminated clothing and wash before re-use.
P391	Collect spillage.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P370 + P378	In case of fire: Use dry chemical, water spray, foam or carbon dioxide for extinction.

Storage Code	Storage Statement
P405	Store locked up.
P403 + P235	Store in a well-ventilated place. Keep cool.

Disposal Code	Disposal Statement
P501	Refer to Section 13.

### Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Content (%w/v)	CAS NUMBER.
Oxyfluorfen	24 %	42874-03-3
N-methyl-2-pyrrolidone	± 10 %	872-50-4
Heavy aromatic solvent	< 50 %	64742-94-5
Not hazardous	To bal	

### Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on Skin.	Take off contaminated clothing and wash before re-use. Wash affected areas with soap and water. If skin irritation occurs: Get medical advice/attention.
If Swallowed	Do NOT induce vomiting if swallowed. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766) or seek medical attention immediately.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

**Most important symptoms and effects, both acute and delayed**

Symptoms:

**Ingestion:** May be harmful if swallowed.

**Inhalation:** Not applicable.

**Skin:** Causes skin irritation.

**Eye:** Causes serious eye irritation.

**Chronic:** Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

**Treatment:** Treat according to symptoms (decontamination, vital functions). No known specific antidote.

**Section 5. Fire Fighting Measures**

<b>Hazard Type</b>	This product is non-flammable.
<b>Hazards from combustion products</b>	Chloride compounds, Fluoride compounds and nitrogen oxides.
<b>Suitable Extinguishing media</b>	Dry chemical, water spray, foam, carbon dioxide.
<b>Recommended protective clothing &amp; Precautions for firefighters</b>	Wear SCBA and chemical-protective clothing.
<b>HAZCHEM CODE</b>	<b>3Z</b>

**Section 6. Accidental Release Measures**

**Personal precautions:**

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately. Wash contaminated clothing before re-use.

**Environmental precautions:**

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

**Spill and Disposal procedures:**

Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

**Section 7. Handling and Storage**

**Precautions for Handling:**

- Keep out of reach of children.
- Read label before use.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Keep away from heat, sparks, open flames or hot surfaces. No smoking.
- Ventilation required.
- Do not breathe fumes, vapours or spray.
- Wash hands thoroughly after handling.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.
- Use personal protective equipment as required.

**Precautions for Storage:**

- Store away from incompatible materials listed in Section 10.
- Store locked up.
- Store in a well-ventilated place. Keep cool.
- Protect against freezing.

**WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
1-Methyl-2-pyrrolidone (skin) [872-50-4]	25	103	75	309

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

**Engineering Controls / Industrial Hygiene**

Ensure there is sufficient ventilation of the area.

**Personal Protection Equipment**

<b>Eyes</b>	Safety goggles with side-shields.
<b>Hands</b>	Wear suitable gloves resistant to chemical penetration e.g. nitrile rubber gloves with a minimum thickness of 0.4 mm.
<b>Skin</b>	Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.
<b>Respiratory</b>	Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles.
<b>General</b>	Females of childbearing age should not come into contact with the product. Keep away from food, drink and animal feedstuffs. No eating, drinking or smoking during use. Wash hands and face before breaks and after work.

**Section 9****Physical and Chemical Properties**

<b>Appearance</b>	Emulsifiable Concentrate Liquid
<b>Colour</b>	Amber
<b>Odour</b>	Aromatic hydrocarbon odour
<b>Odour Threshold</b>	Not available
<b>pH</b>	7.0
<b>Boiling Point</b>	Not available
<b>Melting Point</b>	Not available
<b>Freezing Point</b>	Not available
<b>Flash Point</b>	>60°C
<b>Flammability</b>	Not flammable
<b>Upper and Lower Explosive Limits</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density</b>	Not available
<b>Density</b>	1 003 g/L
<b>Water Solubility</b>	Not available
<b>Partition Coefficient:</b>	Not available
<b>Ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Viscosity</b>	Not available
<b>Particle Characteristics</b>	Not available

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	This product is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None known.
<b>Conditions to Avoid</b>	Temperature extremes.
<b>Incompatible Materials</b>	Oxidizing agents, acids and alkali.
<b>Hazardous Decomposition Products</b>	Chloride compounds, Fluoride compounds and nitrogen oxides.

## Section 11 Toxicological Information

### Acute Effects:

<b>Swallowed</b>	May be harmful if swallowed.
<b>Dermal</b>	Not applicable.
<b>Inhalation</b>	Not applicable.
<b>Eye</b>	Causes serious eye irritation.
<b>Skin</b>	Causes skin irritation.

### Chronic Effects:

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	Suspected of damaging fertility or the unborn child.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	May cause damage to organs through prolonged or repeated exposure

### Acute Toxicity -

<b>Chemical Name</b>	<b>LD50 (Oral)</b>	<b>LD50 (Dermal)</b>	<b>LC50 (inhalation)</b>
Oxyfluorfen (42874-03-3)	2700 – 5000mg/kg (mouse)	>10000mg/kg (Rabbits)	>5.4 mg/l (rats)
N-Methyl-2-pyrrolidinone (Cas No 872-50-4)	3500 mg/kg (Rabbit)	-	-

## Section 12. Ecotoxicological Information

<b>Ecological effects information</b>	9.1A = Very toxic to aquatic life. 9.2A = Very toxic to the soil environment.
<b>Persistence and degradability</b>	No data available
<b>Bioaccumulation</b>	No data available
<b>Mobility in Soil</b>	No data available
<b>Other adverse effects</b>	No data available
<b>Acute fish toxicity:</b>	LC50 (96 h) for bluegill sunfish 0.2, trout 0.41, channel catfish 0.4 mg/l (for oxyfluorfen)
<b>Toxicity for daphnia:</b>	LC50 (48 h) 1.5 mg a.i./l (for oxyfluorfen)
<b>Toxicity to algae:</b>	No data available
<b>Precautions:</b>	Do not allow to enter waterways.

## Section 13. Disposal Considerations

### Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.

**Empty container precautions:**

Avoid contamination of any water supply with chemical or empty container.

**Precautions or methods to avoid:** Avoid release to the environment.

<b>Section 14</b>	<b>Transport Information</b>
-------------------	------------------------------

**This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012**

**Road, Rail, Sea and Air Transport**

<b>UN No</b>	3082
<b>Class - Primary</b>	9
<b>Packing Group</b>	III
<b>Proper Shipping Name</b>	<b>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 24% oxyfluorfen)</b>
<b>Marine Pollutant</b>	Yes
<b>Special Provisions-Limited Quantities</b>	If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

<b>Section 15</b>	<b>Regulatory Information</b>
-------------------	-------------------------------

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: HSR000545

HSNO Classification: 3.1D, 6.1E(oral), 6.3A, 6.4A, 6.8B, 6.9B, 9.1A, 9.2A

<b>HSW (HS) Regulations 2017</b>	<b>Trigger Quantity</b>
Certified Handlers	Not required
Location Certificate	Not required
Signage Trigger Quantities (Schedule 3)	100L (9.1A)
Emergency Response Plan (Schedule 5)	100L (9.1A)
Fire Extinguishers (Schedule 4)	500L: 2 extinguishers
Secondary Containment (Schedule 5)	100L (9.1A)
Tracking (Schedule 26)	Not required
For all further controls	Refer to EPA <a href="http://www.epa.govt.nz">www.epa.govt.nz</a> for controls document - HSR000454
<b>HSNO Additional Controls (Restrictions of use)</b>	
77A	a). The substance must not be applied onto or into water.
<b>Hazardous Property Controls Notice 2017</b>	
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be appropriate
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides and plant growth regulators

HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances
HPC Notice Part 4 Subpart C	Qualifications required for application of class 9 pesticides.
<b>ACVM Act and Regulations</b>	
ACVM Approval No See <a href="http://www.foodsafety.govt.nz">www.foodsafety.govt.nz</a> for registration controls	P7650

## Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

### Glossary

EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

### References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 22 August 2018      Review Date: 22 August 2023