

DANGER

KEEP OUT OF REACH OF CHILDREN

Fosetyl 800WSG[®]

Fungicide for the control of Phytophthora in apples, ornamentals and non-bearing kiwifruit, pomefruit, avocados and citrus.

Active Ingredient: Contains 800g/kg fosetyl-aluminium in the form of a water soluble granule.

GROUP

33

FUNGICIDE

Registered pursuant to the ACVM Act 1997 No. P9811
See www.foodsafety.govt.nz for registration conditions.

In a transport emergency dial 111, Police or Fire Brigade.

For specialist advice in an emergency only call: 0800 734 607 (24 hours).



Net Contents: 1 Kg

READ THIS LABEL COMPLETELY BEFORE USE



Approved under the HSNO Act 1996, HSR000650.
See www.epa.govt.nz for controls.

This product is corrosive and may cause severe eye damage. When handling, wear suitable gloves, goggles, overalls and footwear.

PRECAUTIONS: Keep out of reach of children. Do not eat, drink or smoke while using. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Avoid contact with skin or eyes and inhalation of spray mist. Wash hands and exposed skin after use and before meals. When mixing or applying wear waterproof gloves. **The substance must not be applied onto or into water.**

STORAGE: Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information. **HARMFUL TO AQUATIC LIFE WITH LONG-LASTING EFFECTS:** Avoid contamination of any water supply with product or empty container. **DISPOSAL OF PACKAGING:** Triple rinse packaging and add residue to spray tank. Dispose of this product only by using according to the label or at an approved landfill, according to local Council regulations. Do NOT burn product.

FIRST AID: If medical advice is needed, have product container or label at hand. **If swallowed** do NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766) or a doctor immediately. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Immediately call a POISON CENTRE or get medical advice/attention. **IF ON SKIN:** Wash with plenty of soap and water. If skin irritation or rash occurs: Call a POISON CENTRE or get medical advice/attention. **If inhaled:** Assure fresh air breathing. Rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTRE or get medical advice/attention.

SPILLS: Collect and seal in plastic lined drums for disposal in an authorised landfill. Wash the spill zone down with excess water avoiding contamination of any water body.

Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Registered to and Distributed by: Adria New Zealand Limited.

P.O. Box 535, 407 State Highway 16 Kumeu, Auckland 0841, New Zealand.

Ph: 09 412 9817. www.adria.nz



Batch number and manufacturing date: See on packaging.

RESISTANCE MANAGEMENT: Fosetyl 800WG contains fosetyl-aluminium, a **GROUP 33 FUNGICIDE** from the ethyl phosphonate chemical group. Resistance to this fungicide and related phosphonate products could develop in some disease situations from repeated use. To minimise this risk, use strictly in accordance with the label instructions. Follow individual crop resistance management strategies. Refer to the NZPPS website for more detailed information: (http://resistance.nzpps.org/index.php?p=fungicides/mode_of_action).

General Information: Fosetyl 800WG is a systemic fungicide for use as a foliar spray to control Phytophthora in apples, ornamentals and non-bearing kiwifruit, pomefruit, avocados and citrus. Fosetyl 800WG should be used as a preventative treatment, and is both foliage and root absorbed.

IT IS AN OFFENCE for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

It is an offence to use this product on animals.

DIRECTIONS FOR USE: Foliar Sprays

CROP	Rate/100 litres	Timing	Withholding Period	Comments
Ornamentals Non-bearing: - apples - avocados - kiwifruit - citrus	250g-500g	Apply at monthly intervals during periods of high disease pressure in the spring and autumn.	-	Use the lower rate as a preventative treatment, and the higher rate if plants are already showing signs of Phytophthora infection.
Apples	250g	Apply 2 sprays at 28 day intervals in the spring. A further 1-2 sprays should be applied at monthly intervals after harvest.	100 days	Spring application should not be applied until plants have sufficient foliage cover to absorb the chemical. Spring treatments protect plants over the late spring – early summer period. Autumn applications should be made after harvest prior to leaf fall. These provide protection to plants over the autumn, winter and early spring period.

Mixing: Preparation of a mixing tank: In a small bucket, slowly add the desired quantity of Fosetyl 800WG to 10 L of water until well mixed (free from agglomerates). Add this premix to the remaining volume of water in the sprayer and start spraying after agitation

Application: Fosetyl 800WG is recommended as a high volume foliar spray applied to the point of run-off. Thorough coverage is essential

Compatibility: Do not mix with nitrogen based foliar fertilisers, copper sprays or oil based sprays. Check compatibility with other products prior to use.