

SAFETY DATA SHEET

According to
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: **Solstar**
 Product Use: Herbicide
 Restriction of Use: Refer to Section 15

New Zealand Supplier: **Adria Crop Protection Solutions**
 Address: 407 State Highway 16
 Kumeu 0841,
 Auckland

Telephone: +64 9 412 9817
 Fax: +64 9 412 9807
 Website: www.adria.nz

Emergency No: 0800 734 607 (24hr)
0800 764 766 (National Poison Centre)

Date of SDS Preparation: 9 November 2018

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No: HSR008012

Pictograms



Irritant Ecotoxic

Signal Word: **DANGER**

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
3.1D	H227	Combustible liquid.	Flam. Liq. 4
6.1E (oral)	H303	May be harmful if swallowed.	Acute Tox. 5
6.3B	H316	Causes mild skin irritation.	Skin Irrit. 3
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
9.1A	H410	Very toxic to aquatic life with long lasting effects.	Aquatic Chronic 1
9.2A	H421	Very toxic to the soil environment.	

Prevention Code	Prevention Statement
P102	Keep out of reach of children.

P103	Read label before use.
P210	Keep away from heat, sparks, open flames or hot surfaces. No smoking.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P391	Collect spillage.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P370 + P378	In case of fire: Use dry chemical, foam, water fog or water spray for extinction.

Storage Code	Storage Statement
P403 + P235	Store in a well-ventilated place. Keep cool.

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Content (%w/v)	CAS NUMBER.
Fluroxypyr-meptyl	20 % (acid equivalent)	81406-37-3
Aromatic solvent	>50%	64742-94-5
Non-hazardous ingredients	To bal	-

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on Skin	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
If Swallowed	Rinse mouth. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical attention if needed. Call a POISON CENTRE or doctor/physician if you feel unwell.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion:	May be harmful if swallowed.
Inhalation:	Not applicable.
Skin:	Causes mild skin irritation.
Eye:	Causes serious eye irritation.
Chronic:	Not applicable.

Treatment: Treat according to symptoms (decontamination, vital functions). No known specific antidote.

Section 5. Fire Fighting Measures

Hazard Type	This product is combustible.
Hazards from products	Measures have to be taken to prevent the contaminated extinguishing agent from seeping into the ground or from spreading uncontrollably
Suitable Extinguishing media	Make use of fine water spray, foam, dry chemical, or carbon dioxide to extinguish fires. DO NOT use a direct jet of water.
Recommended protective clothing & Precautions for firefighters	Wear SCBA and chemical-protective clothing.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Personal precautions:

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Keep away from heat, sparks, open flames or hot surfaces. No smoking.
- Wash hands thoroughly after handling.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.

Precautions for Storage:

- Keep away from children.
- Store locked up.
- Store in original container tightly closed, locked, cool, dry, ventilated area away from foodstuffs, fertilisers and seeds.
- Protect from extreme temperatures, keep away from heat, sparks, flames, and hot surfaces.
- Refer to the current standard NZS8409 Management of Agrichemicals.
- Store away from incompatible materials listed in Section 10.

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA	STEL
	ppm mg/m ³	ppm mg/m ³

No ingredient has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls / Industrial Hygiene

Provide local exhaust or general room ventilation to minimize dust and/or vapour concentrations.

Personal Protection Equipment

Eyes	Safety goggles with side-shields.
Skin	Suitable chemical resistant safety gloves (e.g. nitrile rubber (.4mm)). Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.
Respiratory	Respirator (organic vapour and particulate matter) should be used if airborne particles are generated when handling this material.
General	Keep away from heat, sparks, flames, and hot surfaces. No smoking. Keep away from food, drink and animal feedstuffs. No eating, drinking or smoking during use. Wash hands and face before breaks and after work.

Section 9**Physical and Chemical Properties**

Appearance	Liquid
Colour	Light Brown
Odour	Characteristic
Odour Threshold	Not available
pH	+/-6.5
Melting Point/Boiling Point	>100°C
Freezing Point	Not available
Flash Point	>65°C
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Density	+/-990 g/L
Water Solubility	Not available
Octanol/water partition coefficient:	Not available
Auto Ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	None known.
Conditions to Avoid	Temperature extremes. Keep away from heat, sparks, flames, and hot surfaces. No smoking.
Incompatible Materials	Strong oxidising agents, acids and alkalis
Hazardous Decomposition Products	In fire, hydrogen cyanide, carbon monoxide and other asphyxiants may be formed.

Section 11 Toxicological Information

Acute Effects:

Swallowed	May be harmful if swallowed. LD50: > 5,000 mg/kg (rat).
Dermal	Not triggered. LD50: > 2,000 mg/kg (rabbit).
Inhalation	Not triggered.
Eye	Causes serious eye irritation.
Skin	Causes mild skin irritation.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

Ecological effects information	9.1A = Very toxic to aquatic life with long lasting effects. 9.2A = Very toxic to the soil environment.
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available
Acute fish toxicity:	LC50 (96 h) for rainbow trout > 100 mg/L
Toxicity for crustacean (daphnia):	LC50 (48 h) > 100 mg/L
Toxicity to algae:	EC50 (96 h) for green algae > 100 mg/L
Precautions:	Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Precautions or methods to avoid: Avoid release to the environment.

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012



Road, Rail, Sea and Air Transport

UN No	3082
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluroxypyr)
Marine Pollutant	Yes
Special Provisions-Limited Quantities	If the product's individual container is below 5L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: HSR008012

HSNO Classification: 3.1D, 6.1E(Oral), 6.3B, 6.4A, 9.1A, 9.2A

HSW (HS) Regulations 2017	Trigger Quantity
Certified Handlers	Not required
Location Certificate	Not required
Signage Trigger Quantities (Schedule 3)	1000L (9.1B)
Fire Extinguishers (Schedule 4)	500L – 2 extinguishers
Emergency Response Plan (Schedule 5)	1000L (9.1B)
Secondary Containment (Schedule 5)	1000L (9.1B)
Tracking (Schedule 26)	Not required
HSNO Additional Controls (Restrictions of use)	Refer to EPA www.epa.govt.nz for controls document - HSR008012
77A	a) Restrictions on use of substances in application areas Variation: The following application rate applies to Solstar: 2.0 L/ha (0.6 kg a.i./ha) with a frequency of application of 1 application per season. b) The substance must not be applied onto or into water.
Hazardous Property Controls Notice 2017	
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be appropriate
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides and plant growth regulators
HPC Notice Part 3	Hazardous substances in a place other than a workplace.

HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances.
HPC Notice Part 4 Subpart C	Qualifications required for application of class 9 pesticides.
ACVM Act and Regulations	
ACVM Approval No See www.foodsafety.govt.nz for registration controls	P7900

Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 9 November 2018 Review Date: 9 November 2023