

DIRECTIONS FOR USE:

MIXING: Ensure spray tank is clean of all chemical residues. Do not mix with other chemicals. Maintain continuous agitation of spray solution. Do not leave the sprayer filled with the spray solution standing for long periods.

COMPATIBILITY: Vivid 10SL is not compatible with other insecticides, fungicides or herbicides.

WETTING AGENT: A non-ionic wetting agent may be added to the tank.

APPLICATION: Apply as a fine spray to give complete coverage of the fruit. Avoid using on vines with over 30 fruit/m².

RAINFALL: Becomes rainfast in 2 hours. Avoid spraying if rain is expected.

MODE OF ACTION: Vivid 10SL is a very active plant growth regulator with cytokinin activity which accelerates cell division, cell numbers and cell size. It promotes fruit enlargement as a result. The product is not translocated in plant tissue (e.g. from treated leaves to fruit). It is sufficient to spray only the fruit by direct application.

It is an offence to use this product on animals.

Recommended uses:

CROP	TARGET	RATE	NOTES
Kiwifruit	Fruit sizing	25-50ml per 100 litres of water (2.5-5ppm)	To obtain fruit weight increases of up to 10-20%. When extra large fruit (up to 25% increase in weight) are required for special markets, use at 100ml per 100 litres of water (10ppm forchlorfenuron). Apply in 1,000L of spray solution per hectare 30 days after full bloom.
Apples	Fruit sizing	50-100ml per 100 litres of water (5-10ppm)	To increase fruit size of small fruit varieties such as Royal Gala. Apply as a dilute spray in sufficient water to provide good coverage. Apply at a target fruit size of 10mm king fruit. Fruit ridging or deformations are possible, so care should be taken to ensure even coverage and do not use above label rate.

IT IS AN OFFENCE for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD: Not required when used as directed.

WARNING
KEEP OUT OF REACH OF CHILDREN

Vivid[®] 10SL

A plant growth regulator for sizing kiwifruit and apples.

Active Ingredient: Contains 10g/litre forchlorfenuron in the form of a soluble concentrate.

Registered pursuant to the ACVM Act 1997 No. P9317
See www.foodsafety.govt.nz for registration conditions
HSNO Classifications: 3.1B, 6.4A, 9.1D
EPA Approval Code: HSR101151

In a transport emergency dial 111, Police or Fire Brigade.
For specialist advice in a First Aid emergency only call:
National Poisons Centre on 0800 764 766.



Net Contents: 1 litre



Approved Handler: This product must be under the personal control of an approved handler when applied in a wide dispersive manner or used by a commercial contractor.

WARNING: This substance may be harmful if swallowed, inhaled or absorbed through the skin. May cause serious eye irritation. Avoid eye contact.

PRECAUTIONS: Store in original container, tightly closed, away from foodstuffs. When mixing or applying wear protective clothing including, overalls, waterproof gloves and footwear. Avoid contact with skin and eyes and inhalation of the spray mist. DO NOT eat, drink or smoke while using. Wash hands and face before eating, drinking or smoking and after work. Wash protective clothing after use. Apply with well maintained and calibrated spray equipment. Records of use must be kept. Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409.

Avoid contamination of any water supply with chemical or empty container.

HIGHLY FLAMMABLE LIQUID: KEEP AWAY FROM NAKED FLAME.

MUST NOT BE APPLIED ONTO OR INTO WATER.

MUST BE APPLIED USING GROUND-BASED METHODS ONLY.

VERY TOXIC TO AQUATIC ORGANISMS. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments.

DISPOSAL OF CONTAINER: Triple rinse container and add residue to spray tank. Return clean, empty container to an AgRecovery site for disposal. Avoid contamination of any water supply with chemical or empty container. Do not burn empty containers.



FIRST AID: If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766) or a doctor immediately. If spilt on the skin, remove contaminated clothing and wash affected areas of skin. DO NOT SCRUB THE SKIN. If concentrate is splashed in eyes flush with running water for at least 15 minutes.

SAFETY DATA SHEET: A Safety Data Sheet is available at www.adria.nz or by calling 09-412-9817.

SPILLS: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

Batch No. and Manufacturing Date: See on packaging.

Registered to and Distributed by: Adria New Zealand Limited, P.O. Box 535,
407 State Highway 16 Kumeu, Auckland.
Ph: 09 412 9817. Fax: 09 412 9807. www.adria.nz



Notice to Buyer: Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.